World Class Cleaning Solutions®

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier FLASH Odorless / No Rinse Speed Stripper

Other means of identification 1052

Recommended use Floor stripper.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health Hazards Acute toxicity, oral

Not Classified.

Serious eye damage/eye irritation 1
Skin corrosion/irritation 1

Specific target organ toxicity, single exposure 3 TARGET ORGAN: respiratory tract

4

irritation

OSHA defined hazards

Label Elements

Hazard Symbol



Signal Word Danger

Hazard Statement Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only

outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Sodium dimethylbenzenesulfonate
 1300-72-7
 5 - 10

 2-(2-Butoxyethoxy) Ethanol
 112-34-5
 5 - 10

 2-Amino Ethanol
 141-43-5
 25 - 40

Section 4 - First-aid Measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician

if you feel unwell.

1052

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give

anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration.

Call a physician or poison control center immediately.

Most Important symptoms /effects, acute and delayed Indication of immediate medical attention and special treatment Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General Information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the

material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Section 5 - Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

SMALL SPILLS Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

LARGE SPILLS: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid dis

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Form

2-Amino Ethanol (CAS 141-43-5) TWA 6 mg/m³, 3 ppm

US. ACGIH Threshold Limit Values

Component Type Value Form

 2-Amino Ethanol (CAS 141-43-5)
 STEL
 6 ppm

 2-Amino Ethanol (CAS 141-43-5)
 TWA
 3 ppm

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) TWA 10 ppm Inhalable fraction and vapor.

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Amino Ethanol (CAS 141-43-5) STEL 15 mg/m^3 , 6 ppm 2-Amino Ethanol (CAS 141-43-5) TWA 8 mg/m^3 , 3 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

If use of product risks exposure to contact, wear safety glasses with side shields. Eye/face protection

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

If use of product risk exposure to contact, wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment **Respiratory protection**

normally required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

Section 9 - Physical and chemical properties

Appearance Clear, colorless liquid.

Liquid. Physical state Thin iquid. Clear, colorless Colo Odor Slight Ammonia Odor threshold Not available 12.3

Melting point/freezing point Initial boinging point and

Not available. 212 °F (100 °C)

boiling range

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.03 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) Completely soluble.

Partition Coefficient Not available.

n-octanol/water

Auto-ignition temperature Not available **Decomposition temperature** Not available. Viscosity < 10 cP **Viscosity Temperature** 75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use. Conditions to Avoid Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.

Hazardous Decomposition No hazardous decomposition products are known.

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns. Harmful if swallowed. Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory

irritation.

Information on toxicological effects.

Acute toxicity Harmful if swallowed. May cause respiratory irritation.

Components	Level	Туре	Code	Species	Results
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)	Acute	Dermal	LD50	Rabbit	2764 mg/kg, (Male)
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Sodium dimethylbenzenesulfonate (CAS 1300-72-7)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
	Acute	Oral	LD50	Rat	7200 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitizationThis product is not expected to cause respiratory sensitization. **Skin sensitization**This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Caratic taunat aunau t

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Component(s)

2-Amino Ethanol, 141-43-5

Aquatic

 Level
 Type
 Code
 Species
 Test Results

 Acute
 Algae
 EC50
 Selenastrum capricornutum (new name
 2.5 mg/l, 48 hours

Pseudokirchnerella subca

CrustaceaEC50Daphnia magna65 mg/l, 48 hoursFishLC50Goldfish (Carassius auratus)170 mg/l, 96 hoursFishLC50Cyprinus carpio349 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coeficient n-octanol / water log (Kow)

Components Results
2-Amino Ethanol (CAS 141-43-5) -1.31
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) 0.56

Mobility in soilNo data available.Mobility in generalNo data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

1052

Section 14 - Transport information

DOT

UN number UN2491

Proper shipping name Ethanolamine solution

Transport hazard class(es) 8
Subsidary class(es) Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Labels required 8

Special provisions IB3, T4, TP1
Packaging exemption 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2491

UN proper shipping name Ethanolamine solution

Transport hazard class(es) 8
Subsidary class(es) Packaging group III
Environmental hazards No

Labels required Not available.

ERG Code

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN2491

UN proper shipping name ETHANOLAMINE SOLUTION

Transport hazard class(es) 8
Subsidary class(es) Packaging group III
Environmental hazards No.
Marine pollutant

Labels required Not available.

FmS F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

Not regulated. Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-(2-Butoxyethoxy) Ethanol
 112-34-5
 5 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Components

1052

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

2-Amino Ethanol (CAS 141-43-5)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Amino Ethanol (CAS 141-43-5)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Pennsylvania RTK - Hazardous Substances Components

2-Amino Ethanol (CAS 141-43-5)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Rhode Island RTK Components

2-Amino Ethanol (CAS 141-43-5)

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US - California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to contain any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date 1/17/2018 Version # 02

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product

which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

0.1. / .../.../*

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).