



National Chemical Laboratories, Inc.

Earth Sense Neutral Disinfectant Detergent #4038

Hospital Disinfection (at 2 ounces per gallon)

Earth Sense Neutral Disinfectant Detergent is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces modified in the presence of 5% organic serum and 400 ppm hard water with a 10 minutes contact time against:

(Testing is performed per the AOAC UDT/GST method (DIS/TSS-1). Sixty carriers are required on 3 separate lots, one of which must be >60 days old against *Pseudomonas aeruginosa*, *Salmonella enterica* and *Staphylococcus aureus*. Killing of 59 out of 60 carriers is required (total carriers = 540).)

Organism	Carrier Population	Sample	# Carriers	# Positive
Pseudomonas aeruginosa ATCC #15442	3.9 X 10 ⁴ CFU/Carrier	A (60 Days Old)	60	0/60
		B	60	0/60
		C	60	1/60
Salmonella enterica ATCC #10708	1.03 X 10 ⁶ CFU/Carrier	A (60 Days Old)	60	1/60
		B	60	1/60
		C	60	0/60
Staphylococcus aureus ATCC #6538	7.0 X 10 ⁴ CFU/Carrier	A (60 Days Old)	60	0/60
		B	60	0/60
		C	60	0/60

Supplemental Organisms

(Testing is performed per the AOAC UDT/GST method. Ten carriers are required on 2 separate lots against each supplemental organism. Killing of 10 out of 10 carriers is required (total carriers = 20).)

Organism	Carrier Population	Sample	# Carriers	# Positive
Acinetobacter baumannii ATCC #19003	5.1 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Acinetobacter Iwoffii ATCC #15309	5.7 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Acinetobacter Iwoffii ATCC #9957	4.0 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Bordetella bronchiseptica ATCC #10580	9.4 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Citrobacter freundii ATCC #8090	3.9 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10

Organism	Carrier Population	Sample	# Carriers	# Positive
Clostridium difficile - vegetative ATCC #9689	9.7 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
		C	10	0/10
Enterobacter aerogenes ATCC 13048	2.35 X 10 ⁷ CFU/Carrier	A	10	0/10
		B	10	0/10
Enterobacter agglomerans ATCC 27155	3.9 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Enterobacter cloacae ATCC 13047	3.3 X 10 ⁷ CFU/Carrier	A	10	0/10
		B	10	0/10
Enterococcus faecalis ATCC 19433	6.2 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Enterococcus faecalis Vancomycin Resistant (VRE) ATCC 51299	1.3 X 10 ⁷ CFU/Carrier	A	10	0/10
		B	10	0/10
Enterococcus hirae ATCC 10541	1.19 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Escherichia coli ATCC 11229	1.3 X 10 ⁷ CFU/Carrier	A	10	0/10
		B	10	0/10
Escherichia coli Tetracycline Resistant ATCC 47041	3.1 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Fusobacterium necrophorum ATCC 27852	5.8 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Klebsiella oxytoca ATCC 13182	1.07 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Klebsiella pneumoniae ATCC 13883	1.2 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Listeria monocytogenes ATCC 19117	7.7 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Micrococcus luteus ATCC 14452	1.1 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Micrococcus luteus ATCC 4698	4.8 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Pasteurella multocida ATCC 12947	1.32 X 10 ⁷ CFU/Carrier	A	10	0/10
		B	10	0/10
Proteus vulgaris ATCC 13315	1.9 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Proteus vulgaris ATCC 9920	1.24 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Pseudomonas aeruginosa Tetracycline Resistant ATCC 27853	3.5 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10

Organism	Carrier Population	Sample	# Carriers	# Positive
Pseudomonas cepacia ATCC 25416	1.63 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Salmonella enterica ATCC 23564	9.2 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Salmonella enterica ATCC 4931	1.3 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Salmonella enterica serotype pullorum ATCC 19945	7.1 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Salmonella typhi ATCC 6539	8.3 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Salmonella typhimurium ATCC 23564	1.5 X 10 ⁵ CFU/Carrier 5.6 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Serratia marcescens ATCC 14756	6.2 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Serratia marcescens ATCC 9103	6.0 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Shigella flexneri ATCC 12022	2.6 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Shigella flexneri ATCC 9380	1.99 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Shigella sonnei ATCC 25931	1.04 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus aureus ATCC 14154	9.2 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus aureus ATCC 25923	6.6 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus aureus sub species aureus ATCC 33586	7.2 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus aureus Methicillin Resistant (MRSA) ATCC 33592	5.4 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus aureus Community Associated Methicillin Resistant (CA-MRSA)	6.3 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus aureus Vancomycin Intermediate Resistant (VISA) ATCC 5836	3.2 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus epidermidis ATCC 14990	1.56 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus epidermidis Antibiotic resistant ATCC 51625	8.6 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Staphylococcus haemolyticus ATCC 29970	9.5 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10

Organism	Carrier Population	Sample	# Carriers	# Positive
Streptococcus agalactiae ATCC 13813	5.6 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Streptococcus mutans ATCC 25175	1.02 X 10 ⁶ CFU/Carrier 1.3 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Streptococcus pneumonia Penicillin Resistant ATCC 51915	9.6 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Streptococcus pyogenes ATCC 19615	4.7 X 10 ⁴ CFU/Carrier	A	10	0/10
		B	10	0/10
Vibrio cholera ATCC 11623	1.0 X 10 ⁶ CFU/Carrier	A	10	0/10
		B	10	0/10
Yersinia enterocolitica ATCC 23715	1.2 X 10 ⁷ CFU/Carrier	A	10	0/10
		B	10	0/10

Virucidal against (at 2 ounces per gallon)

Earth Sense Neutral Disinfectant Detergent was evaluated in the presence of 5% serum and 400 ppm hard water with a 10 minute contact time and found to be effective against the following viruses on hard nonporous environmental surfaces.

(Testing is performed per EPA Guidance (DIS/TSS-7). Two separate lots are tested. Inactivation of virus must be demonstrated at all dilutions when no cytotoxicity is observed or at all dilutions above the cytotoxic level when it is observed. The data must demonstrate a 3-log reduction in viral titer for both lots.) (3 lots and 4-Log reduction for Canada).

Organism	Dried Virus Control	Sample	Result	Log Reduction
Avian Infectious Bronchitis virus Beaudette IB42	6.42 Log ₁₀	A	≤0.5 Log ₁₀	≥5.92 Log ₁₀
		B	≤0.5 Log ₁₀	≥5.92 Log ₁₀
		C	≤0.5 Log ₁₀	≥6.0 Log ₁₀
Avian Influenza A (H3N2) virus (Avian Reassortant) (ATTC VR-2072)	4.75 Log ₁₀	A	≤0.5 Log ₁₀	≥4.25 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.25 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.25 Log ₁₀
Avian Influenza A (H5N1) virus	6.75 Log ₁₀	A	≤0.5 Log ₁₀	≥6.25 Log ₁₀
		B	≤0.5 Log ₁₀	≥6.25 Log ₁₀
Canine Coronavirus ATCC VR-809	4.5 Log ₁₀	A	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.25 Log ₁₀
Canine Distemper virus ATCC VR-128	6.25 Log ₁₀	A	≤0.5 Log ₁₀	≥5.75 Log ₁₀
		B	≤0.5 Log ₁₀	≥5.75 Log ₁₀
		C	≤0.5 Log ₁₀	≥6.25 Log ₁₀
Chlamydia psittaci ATCC VR-125	7.25 Log ₁₀	A	≤0.5 Log ₁₀	≥6.75 Log ₁₀
		B	≤0.5 Log ₁₀	≥6.75 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.25 Log ₁₀
Cytomegalovirus ATCC VR-538	4.5 Log ₁₀	A	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.0 Log ₁₀

Organism	Dried Virus Control	Sample	Result	Log Reduction
Feline Picornavirus ATCC VR-649	4.5 Log ₁₀	A	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥5.25 Log ₁₀
Hantavirus (PHV)	6.23 Log ₁₀	A	≤1.5 Log ₁₀	≥4.73 Log ₁₀
		B	≤1.5 Log ₁₀	≥4.73 Log ₁₀
Hepatitis B Virus	5.06 Log ₁₀	A	0.27 Log ₁₀	4.79 Log ₁₀
		B	0.41 Log ₁₀	4.79 Log ₁₀
		Confirmatory B	0.27 Log ₁₀	4.79 Log ₁₀
Hepatitis C Virus	6.21 Log ₁₀	A	0.24 Log ₁₀	5.97 Log ₁₀
		B	0.42 Log ₁₀	5.79 Log ₁₀
		Confirmatory B	0.13 Log ₁₀	5.93 Log ₁₀
Herpes Simplex Virus Type 1 ATCC VR-773	5.5 Log ₁₀	A	≤0.5 Log ₁₀	≥5.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥5.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥5.5 Log ₁₀
Herpes Simplex Virus Type 2 ATCC VR-734	6.0 Log ₁₀	A	≤0.5 Log ₁₀	≥5.5 Log ₁₀
		B	≤0.5 Log ₁₀	≥5.5 Log ₁₀
		C	≤0.5 Log ₁₀	≥5.25 Log ₁₀
Human Coronavirus ATCC VR-740	4.5 Log ₁₀	A	≥0.5 Log ₁₀	≤4.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.0 Log ₁₀
Human Immunodeficiency Virus type 1 (HIV 1) HTLV-III B	5.75 Log ₁₀	A	≤1.5 Log ₁₀	≥4.25 Log ₁₀
		B	≤1.5 Log ₁₀	≥4.25 Log ₁₀
		C	≤1.5 Log ₁₀	≥4.25 Log ₁₀
Infectious Bovine Rhinotracheitis virus ATCC VR-188	4.5 Log ₁₀	A	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.25 Log ₁₀
Influenza A virus ATCC VR-544	6.5 Log ₁₀	A	≤0.5 Log ₁₀	≥6.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥6.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥5.5 Log ₁₀
Pseudorabies virus ATCC VR-135	6.25 Log ₁₀	A	≤0.5 Log ₁₀	≥5.75 Log ₁₀
		B	≤0.5 Log ₁₀	≥5.75 Log ₁₀
		C	≤0.5 Log ₁₀	≥5.0 Log ₁₀
Respiratory syncytial virus ATCC VR-26	4.5 Log ₁₀	A	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.0 Log ₁₀
		C	≤0.5 Log ₁₀	≥4.5 Log ₁₀
Transmissible Gastroenteritis virus	4.75 Log ₁₀	A	≤0.5 Log ₁₀	≥4.25 Log ₁₀
		B	≤0.5 Log ₁₀	≥4.25 Log ₁₀
		C	≤0.5 Log ₁₀	≥5.75 Log ₁₀
Vaccinia virus ATCC VR-119	6.75 Log ₁₀	A	≤0.5 Log ₁₀	≥6.25 Log ₁₀
		B	≤0.5 Log ₁₀	≥6.25 Log ₁₀
		C	≤0.5 Log ₁₀	≥6.0 Log ₁₀

Virucidal against (at 8 ounces per gallon)

Earth Sense Neutral Disinfectant Detergent was evaluated in the presence of 5% serum and 400 ppm hard water with a 10 minute contact time and found to be effective against the following viruses on hard nonporous environmental surfaces.

(Testing is performed per EPA Guidance (DIS/TSS-7). Two separate lots are tested. Inactivation of virus must be demonstrated at all dilutions when no cytotoxicity is observed or at all dilutions above the cytotoxic level when it is observed. The data must demonstrate a 3-log reduction in viral titer for both lots.) (3 lots and 4-Log reduction for Canada).

Organism	Dried Virus Control	Sample	Result	Log Reduction
Canine Parvovirus Type 2b, Nike Strain	7.5 Log ₁₀	A	≤3.5 Log ₁₀	≥4.0 Log ₁₀
		B	≤3.5 Log ₁₀	≥4.0 Log ₁₀

Fungicidal against (at 2 ounces per gallon)

Earth Sense Neutral Disinfectant Detergent was evaluated in the presence of 5% serum and 400 ppm hard water with a 10 minute contact time and found to be effective against the following fungi on hard nonporous environmental surfaces.

(Testing is performed per the AOAC fungicidal method (DIS/TSS-6). Two separate lots are tested against Trichophyton mentagrophytes in a suspension test. Killing of all fungal spores in 10 minutes is required.)

Organism	Carrier Population	Sample	# Carriers	# Positive
Candida albicans ATCC #10231	1.57 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10
Trichophyton mentagrophytes ATCC #9533	1.10 X 10 ⁵ CFU/Carrier	A	10	0/10
		B	10	0/10

Mold and Mildew Control (at 2 ounces per gallon)

Use Earth Sense Neutral Disinfectant Detergent to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

	Tile Number	Untreated After 7 Days	Sample A After 7 Days	Sample B After 7 Days
Aspergillus niger ATCC #16404	1	Growth 90%	No Growth 0%	No Growth 0%
	2	Growth 70%	No Growth 0%	No Growth 0%
	3	Growth 90%	No Growth 0%	No Growth 0%
	4	Growth 80%	No Growth 0%	No Growth 0%
	5	Growth 80%	No Growth 0%	No Growth 0%
	6	Growth 90%	No Growth 0%	No Growth 0%
	7	Growth 80%	No Growth 0%	No Growth 0%
	8	Growth 70%	No Growth 0%	No Growth 0%
	9	Growth 90%	No Growth 0%	No Growth 0%
	10	Growth 70%	No Growth 0%	No Growth 0%

Non-Food Contact Surface Sanitizer

Add 2 ounces of Earth Sense Neutral Disinfectant Detergent to 1 gallon of water to sanitize hard porous and non-porous non-food contact surfaces. Treated surfaces must remain wet for 3 minutes. Then wipe with sponge, mop or cloth or allow to air dry. At this dilution food contact surfaces must be rinsed.

(Testing is performed per EPA Guidance (DIS/TSS-10). Three lots are required, one of which must be > 60 days old. Testing is performed against Staphylococcus aureus and Klebsiella pneumoniae containing 5% organic load. Enterobacter aerogenes may be substituted for Klebsiella pneumoniae. The results must show a reduction of at least 99.9% (3 Log₁₀) in the number of each test microorganism over the parallel control count within 5 minutes.)

	Carrier Population	Sample	3 Minute Kill CFU/Carrier	Percent Kill
Klebsiella pneumoniae ATCC 4352	6.04 Log ₁₀	A (60 Days Old)	>3.56 Log ₁₀	>99.9
		B	>3.56 Log ₁₀	>99.9
		C	>3.56 Log ₁₀	>99.9
Staphylococcus aureus ATCC #6538	6.69 Log ₁₀	A (60 Days Old)	>5.21 Log ₁₀	>99.9
		B	>4.82 Log ₁₀	>99.9
		C	>5.21 Log ₁₀	>99.9