

# NATIONAL CHEMICAL LABORATORIES, INC.

### SAFETY DATA SHEET

#### Section 1 - Identification

Product Identifier BARE BONES LOW ODOR (1-5, 1-16) Low Odor All-Purpose Speed Stripper RTU

Other means of identification 1051 (1-5, 1-16)
Recommended use Floor stripper.

Recommended restrictions For commercial and industrial use only. User prepared Ready-To-Use solution. 1:5 to 1:16 in water.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.

Address 401 N. 10th Street - Philadelphia, PA 19123

Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

### Section 2 - Hazard(s) Identification

Classification Category

Physical Hazards Not Classified

Health HazardsSerious eye damage/eye irritation2ASkin corrosion/irritation2

OSHA defined hazards

Label Elements
Hazard Symbol

l Elements



Not Classified.

Signal Word Warning

Hazard Statement Causes serious eye irritation. Causes skin irritation. May be harmful if swallowed, in contact with skin or if inhaled. May cause

respiratory irritation.

**Precautionary statement** 

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only

outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

# Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 2-Amino Ethanol
 141-43-5
 0.5 - 2

 Dipropylene Glycol Monomethyl Ether
 34590-94-8
 0.1 - 1

 Benzyl Alcohol
 100-51-6
 0.1 - 1

#### Section 4 - First-aid Measures

Inhalation Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Do not use mouth-to-mouth

method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way

valve or other proper respiratory medical device. Get medical attention immediately.

Skin contact Remove contaminated clothing and shoes. Immediately flush skin with plenty of water. Get medical attention if irritation

persist. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and

remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation persist.

**Ingestion** Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give

anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call

a physician or poison control center immediately.

Most Important symptoms or effects, acute and delayed

Causes skin irritation. Causes serious eye irritation. May cause respiratory tract irritation. Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate

medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm.

### Section 5 - Fire-fighting measures

Suitable extinguishing media

RTU product will not suport combustion. Alcohol-resistant foam, water spray, or water fog.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from

the chemical

None known..

Special protective equipment and precautions for firefighters

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of

fire

Fire-fighting equipment /instructions

Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

#### Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area

with water.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

### Section 7 - Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Keep container closed. Wash thoroughly after

handling. Use Personal Protective Equipment recommended in section 8 of the SDS.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials. Keep container closed. Keep out of reach of children.

Form

# Section 8 - Exposure control/personal protection

#### Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides	US.	Workplace	environmental	Exposure	Level	(WEEL)	Guides
--	-----	-----------	---------------	----------	-------	--------	--------

Component Type Value

Benzyl Alcohol (CAS 100-51-6) TWA 44.2 mg/m³, 10 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value
2-Amino Ethanol (CAS 141-43-5) TWA 6 mg/m³, 3 ppm

2-Butoxyethanol (CAS 111-76-2) TWA 240 mg/m³, 50 ppm Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) TWA 600 mg/m³, 100ppm

**US. ACGIH Threshold Limit Values** 

Component Type Value Form

 2-Amino Ethanol (CAS 141-43-5)
 STEL
 6 ppm

 2-Amino Ethanol (CAS 141-43-5)
 TWA
 3 ppm

 2-Butoxyethanol (CAS 111-76-2)
 TWA
 20 ppm

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) STEL 150 ppm
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) TWA 100 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Amino Ethanol (CAS 141-43-5)STEL15 mg/m³, 6 ppm2-Amino Ethanol (CAS 141-43-5)TWA8 mg/m³, 3 ppm2-Butoxyethanol (CAS 111-76-2)TWA24 mg/m³, 5 ppmDipropylene Glycol Monomethyl Ether (CAS 34590-94-8)TWA600 mg/m³, 100 ppm

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) STEL 900 mg/m³, 150 ppm US. ACGIH. BEIs. Biological Exposure Indices

Components Value Determinate Specimen

BARE BONES LOW ODOR (1-5, 1-16) Low Odor All-Purpose Speed Stripper RTU 1051 (1-5, 1-16)

Sampling

2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), Creatinine in urine with hydrolysis

\* - For sampling details, please see the source document.

**Exposure guidelines** Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin. Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US.NIOSH: Pocket Guide to Chemical Hazards** 

Component

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin. Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin. Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US. Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin. Can be absorbed through the skin. Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US ACGIH Threshold Limit Values: Skin designation

Component Exposure

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or

to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29

CFR 1910.134.

Thermal hazards Wear appropriate thermal protective clothing, when necessary. General hygiene Handle in accordance with good industrial hygiene and safety practice.

considerations

#### Section 9 - Physical and chemical properties

**Appearance** 

Physical state Liquid.

Form Clear, thin liquid. Color Colorless to pale straw.

Odor Sassafras. Odor threshold Not available. 11.0 ± 0.4 Нα Melting point/freezing point Not available. Initial boinging point and

boiling range

212 °F (100 °C)

Flash point >201°F (94°C) TCC **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density  $0.99 \pm 0.01$ Relative density temperature 75 °F (23.9 °C) Solubilities (water) Not available. Partition Coefficient n-Not available. octanol/water

Auto-ignition temperature
Decomposition temperature
Viscosity

Not Available.
Not Available.

Not Available.

Viscosity Temperature 75 °F (23.9 °C)

### Section 10 - Stability and reactivity

**Reactivity** The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactions Hazardous polymerization does not occur.

**Conditions to Avoid** Keep away from heat and direct sunlight. Contact with incompatible materials.

**Incompatible materials** Oxidizing agents.

Hazardous Decomposition

**Products** 

Carbon monoxide. Carbon dioxide. Nitrogen oxides.

### Section 11 - Toxicological information

#### Information on likely routes of exposure

**Ingestion** May cause irritation of the gastrointestinal tract if swallowed...

**Inhalation** Irritating to respiratory system.

Skin contactCauses skin irritation.Eye contactCauses serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Causes skin iritation. Causes serious eye irritation. May cause respiratory tract irritation. Symptoms may be delayed.

Cada

LD50

Rat

#### Information on toxicological effects.

**Acute toxicity** Harmful if inhaled, absorbed through skin, or swallowed.

Components	Level	Type	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
2-Butoxyethanol (CAS 111-76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
	Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
	Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
	Acute	Oral	LD50	Guinea pig	1.2 g/kg
	Acute	Oral	LD50	Mouse	1519 mg/kg
	Acute	Oral	LD50	Rabbit	0.32 g/kg
	Acute	Oral	LD50	Rat	560 mg/kg
Benzyl Alcohol (CAS 100-51-6)	Acute	Dermal	LD50	Rabbit	2000 mg/kg
	Acute	Inhalation	LC100	Rat	200 - 300 mg/l, 8 Hours
	Acute	Inhalation	LC50	Rat	8.8 mg/l, 4 Hours
	Acute	Oral	LD50	Mouse	1150 mg/kg

Acute Other LD50 Mouse 480 mg/kg
Acute Other LD50 Rat 400 mg/kg

Acute

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/ eye Causes serious eye irritation.

irritation

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

Oral

1230 - 3100 mg/kg

Doculto

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

Irritating to respiratory system.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

**Chronic effects** 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

# Section 12 - Ecological Information

**Ecotoxicity** The product contains a substance which is very toxic to aquatic organisms.

Component(s)

2-Amino Ethanol (CAS 141-43-5)

Aquatic

Code Species Level Test Results Type Acute FC50 Selenastrum capricornutum (new name 2.5 mg/l, 48 hours Algae

Pseudokirchnerella subca

Crustacea FC50 Daphnia magna 65 mg/l, 48 hours Fish LC50 Goldfish (Carassius auratus) 170 mg/l, 96 hours Fish LC50 349 mg/l, 96 hours Cyprinus carpio

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** No data available. Partition coefficient n-octanol / water log (Kow)

> Components Results 2-Amino Ethanol (CAS 141-43-5) -1.31 2-Butoxyethanol (CAS 111-76-2) 0.83 Benzyl Alcohol (CAS 100-51-6) 1.1

Mobility in soil No data available Mobility in general No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

#### Section 13 - Disposal considerations

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Contaminated packaging

#### Section 14 - Transport information

**General Information** This product is customer diluted for on site use only. No transportation information is anticipated or provided. The

regulatory transport classification of the product without consideration to dilution strength, packaging, quantity, or modal restrictions and exceptions can not be anticipated. It is the user's responsibility to determine the appropriate packaging and

modal requirements and/or limitations for the product quantity being shipped.

### Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result 2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes
Delayed Hazard No

Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 1 - 8

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

**US state regulations** 

US.Massachusetts RTK - Substance List Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Benzyl Alcohol (CAS 100-51-6)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Pennsylvania RTK - Hazardous Substances Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Benzyl Alcohol (CAS 100-51-6)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

**US - California Proposition 65**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

**International Inventories** 

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

#### Section 16 - Other information, including date of preparation or last version

 Revision date
 6/1/2023

 Version #
 03

HMIS Hazard Codes PPE A

<sup>\*</sup>A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.