

# NATIONAL CHEMICAL LABORATORIES, INC.

### SAFETY DATA SHEET

	SAFEIY DAIA	SUEEI					
	Section 1 - Ident	tification					
Product Identifier	CS Foaming Degreaser Cleaner Su	per Concentrate					
Other means of identificatio	n 1117						
Recommended use	Alkaline cleaner.						
Recommended restrictions	For commercial and industrial use	For commercial and industrial use only.					
Manufacturer / Importer / S	upplier / Distributor Information						
Company Name	National Chemical Laboratories of PA, Inc.						
Address	401 N. 10th Street - Philadelphia, PA 19123						
Telephone	1 (215) 922-1200						
Supplier Email	info@nclonline.com						
Contact	CHEM-TEL						
Emergency Phone	1 (800) 255-3924						
<u> </u>	Section 2 - Hazard(s)	Identification					
SDS Hazard	s and Warnings are based on the undiluted product. Refe		dy-To-Use Hazards a	nd Warnings.			
	Classification	Category	.,				
Physical Hazards	Not Classified						
Health Hazards	Serious eye damage/eye irritation	1					
· · · · · ·	Skin corrosion/irritation	1					
	Specific target organ toxicity, single exposure	3	TARGET ORGAN	: respiratory tract			
		5	irritation				
OSHA defined hazards	Not Classified.						
Label Elements Hazard Symbol							
Signal Word	Danger						
Hazard Statement	Causes severe skin burns and eye damage. May cause res	piratory irritation.					
Precautionary statement		,					
Prevention	Do not breathe mist or vapor. Wear protective gloves/pro thoroughly after handling. Do not eat, drink or smoke wh						
Response	swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse kin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep omfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and asy to do. Continue rinsing. Immediately call a poison center/doctor.						
Storage	Store locked up.						
Disposal	Dispose of contents/container in accordance with local/re	egional/national/interna	ational regulations.				
Hazard(s) not otherwise classified (HNOC)	None known.		-				
	Section 3 - Composition/Infor	mation on ingr	redients				
Mixture							
Hazardous Components	Ingredient Name		CAS #	%			
	Sodium Hydroxide		1310-73-2	5 - 10			
	2-Amino Ethanol		141-43-5	5 - 10			
	Disodium metasilicate		6834-92-0	1 - 5			
	Section 4 - First-ai	d Measures					
Inhalation	If respiratory irritation or distress occurs, remove vie apply artificial respiration. CONSULT A PHYSICIAN.	ctim to fresh air. If breat	thing is difficult, give o	oxygen. If breathing stops,			
Skin contact	Remove contaminated clothing and shoes. Wash of attention if irritation persists. Wash contaminated c						
Eye contact	Immediately flush eyes with plenty of water for at le			•			

remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.

	JAIL		-			
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.					
Most Important symptoms or effe	cts, acute and delayed					
	Causes skin and eye burns.					
ndication of immediate medical a	ttention and special treatment nee	eded				
	-	cucu				
General Information	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.					
	Section 5	- Fire-figl	nting measures			
Suitable extinguishing media	Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.					
Jnsuitable extinguishing nedia	Not available.					
Specific hazards arising from the chemical	None known.					
Special protective equipment and precautions for firefighters	Self-contained breathing apparate	us and full prote	ective clothing must be w	orn in case of fire.		
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.					
General fire hazards	This product is not flammable or o	combustible.				
	Section 6 - A	ccidental	release measu	res		
Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary pe	ersonnel away.	Use personal protection a	s recommended in Section 8 of the SDS.		
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.					
Environmental precautions	Avoid discharge into drains, wate	0,				
	Section 7	' - Handlir	ng and storage			
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Do not taste or swallow. Use with adequate ventilation. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.					
Conditions for safe storage, including any incompatibilities	Store away from incompatible ma	aterials. Keep co	ontainer closed.			
	Section 8 - Expos	ure conti	rol/personal pro	tection		
Occupational exposure limits						
	Air Contaminants (29 CFR 1910.10			-		
Components	42 5)	Туре	Value	Form		
2-Amino Ethanol (CAS 141-4		TWA	6 mg/m <sup>3</sup> , 3 ppm			
Call and dealer the CAC 424		<b>T</b> 14/A	2			
Sodium Hydroxide (CAS 131		TWA	2 mg/m <sup>3</sup>			
US. ACGIH Threshold Limit Va				<b>F</b>		
US. ACGIH Threshold Limit Va Component	alues	Туре	Value	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4	alues	Type STEL	Value 6 ppm	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4	43-5) 43-5)	Type STEL TWA	Value 6 ppm 3 ppm	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131	Alues 43-5) 43-5) 0-73-2)	Type STEL	Value 6 ppm	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131 US. NIOSH: Pocket Guide to Ch	Alues 43-5) 43-5) 0-73-2)	Type STEL TWA Ceiling	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup>	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components	Alues 43-5) 43-5) 0-73-2) hemical Hazards	Type STEL TWA Ceiling Type	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to Ch Components 2-Amino Ethanol (CAS 141-4	alues 43-5) 43-5) .0-73-2) hemical Hazards 43-5)	Type STEL TWA Ceiling Type STEL	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131 US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4	alues 13-5) 13-5) 0-73-2) hemical Hazards 13-5) 13-5)	Type STEL TWA Ceiling Type STEL TWA	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131-	Alues 43-5) 43-5) .0-73-2) hemical Hazards 43-5) 43-5) .0-73-2)	Type STEL TWA Ceiling Type STEL TWA Ceiling	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm 2 mg/m <sup>3</sup>	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131-	alues 13-5) 13-5) 0-73-2) hemical Hazards 13-5) 13-5)	Type STEL TWA Ceiling Type STEL TWA Ceiling	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm 2 mg/m <sup>3</sup>	Form		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- Biological limit values	Alues 43-5) 43-5) .0-73-2) hemical Hazards 43-5) 43-5) .0-73-2)	Type STEL TWA Ceiling Type STEL TWA Ceiling ed for the ingree	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm 2 mg/m <sup>3</sup>			
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4	Alues 43-5) 43-5) .0-73-2) hemical Hazards 43-5) 43-5) .0-73-2) No biological exposure limits note Use personal protective equipme	Type STEL TWA Ceiling Type STEL TWA Ceiling ed for the ingree nt as required.	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm 2 mg/m <sup>3</sup> dient(s). Keep working clothes sep			
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- Biological limit values Exposure guidelines Appropriate engineering controls	alues 43-5) 43-5) .0-73-2) hemical Hazards 43-5) 43-5) .0-73-2) No biological exposure limits note Use personal protective equipme Provide adequate ventilation and	Type STEL TWA Ceiling Type STEL TWA Ceiling ed for the ingree nt as required. I minimize the ri	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm 2 mg/m <sup>3</sup> dient(s). Keep working clothes sep	arately.		
US. ACGIH Threshold Limit Va Component 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- US. NIOSH: Pocket Guide to CH Components 2-Amino Ethanol (CAS 141-4 2-Amino Ethanol (CAS 141-4 Sodium Hydroxide (CAS 131- Biological limit values Exposure guidelines Appropriate engineering controls	Alues 43-5) 43-5) .0-73-2) hemical Hazards 43-5) 43-5) .0-73-2) No biological exposure limits note Use personal protective equipme Provide adequate ventilation and supply and eye wash facilities.	Type STEL TWA Ceiling Type STEL TWA Ceiling ed for the ingree nt as required. I minimize the ri	Value 6 ppm 3 ppm 2 mg/m <sup>3</sup> Value 15 mg/m <sup>3</sup> , 6 ppm 8 mg/m <sup>3</sup> , 3 ppm 2 mg/m <sup>3</sup> dient(s). Keep working clothes sep-	arately. and mists. Provide easy access to water		

## SAFETY DATA SHEET

Other	If use of product risk exposure to contact, wear suitable protective clothing.
Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
	Section 9 - Physical and chemical properties

#### Clear. Appearance Liquid. **Physical state** Form Clear liquid. Color Yellow. Odor None. Odor threshold Not available. 13.6 рΗ Melting point/freezing point Not available. Initial boinging point and 212 °F (100 °C) boiling range Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Similar to water. Vapor density Similar to water. **Relative density** $1.12 \pm 0.01$ **Relative density temperature** 75 °F (23.9 °C) Solubilities (water) Completely soluble in water. Partition Coefficient n-Not available octanol/water Auto-ignition temperature Not Available. **Decomposition temperature** Not Available. Viscosity < 50 cP **Viscosity Temperature** 75 °F (23.9 °C)

### Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide.

### Section 11 - Toxicological information

Information on likely routes of	exposure						
Ingestion	May cause burns of t	he gastrointestin	al tract if swallowe	d.			
Inhalation	Irritating to respiratory system.						
Skin contact	Causes skin burns.						
Eye contact	Causes serious eye damage.						
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns. Symptoms may be delayed.						
Information on toxicological ef	fects.						
Acute toxicity	May cause burns.						
Components	Level Type Code Species Results						
2-Amino Ethanol (CAS 141	Acute	Dermal	LD50	Rabbit	1025 mg/kg		

#### SAFETY DATA SHEET Acute Oral LD50 Rat 1715 mg/kg Disodium metasilicate (CAS 6834-92-0) Acute LD50 >5000 mg/kg, 24 hours Dermal Rat Acute Inhalation LC50 Rat > 2.06 mg/l, 4 hours 661.5 - 896.3 mg/kg Acute Oral LD50 Mouse LD50 994.7 - 1335.9 mg/kg Acute Oral Rat Sodium Hydroxide (CAS 1310-73-2) Acute Oral LD50 Rabbit 500 mg/kg Skin corrosion/irritation Causes skin burns. Serious eye damage/ eye Causes serious eye damage. irritation **Respiratory sensitization** Not classified. Skin sensitization Not available. Germ cell mutagenicity Not classified. Not classified. Carcinogenicity **Reproductive toxicity** Not classified. Specific target organ toxicity -Irritating to respiratory system. single exposure Specific target organ toxicity -Not classified. repeated exposure Not classified. Aspiration hazard Section 12 - Ecological Information Toxic to aquatic life with long lasting effects. Because of the high pH of this product, it would be expected to produce Ecotoxicity significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. Component(s) Disodium metasilicate (CAS 6834-92-0) Aquatic Level Type Code Species **Test Results** Fish LC50 Brachydanio rerio 210 mg/l, 96 hours Acute Persistence and degradability The product is expected to be biodegradable. **Bioaccumulative potential** Not known. Partition coefficient n-octanol / water log (Kow)

 Components
 Results

 2-Amino Ethanol (CAS 141-43-5)
 -1.31

 Mobility in soil
 Not available.

 Mobility in general
 The product is water soluble and may spread in water systems.

Other adverse effects None known.

### Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### Section 14 - Transport information

DOT	
UN number	UN1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packing group	11
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, N34, T7, TP2
Packaging exemption	154
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1824

## SAFETY DATA SHEET

UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packaging group	II
Environmental hazards	No.
ERG Code	8L
Special precautions for user Other Information	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packaging group	II
Environmental hazards Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

## Section 15 - Regulatory Information

US federal regulations	rederal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200				
TSCA Section 12(b) Export Notification (40 CFR707, Subpt.		707, Subpt. D	D) Not regulated.		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1			001-1050) Not listed		
CERCLA Hazardous Substance List (40 CFR 302.4					
Component	ts		Result		
Sodium Hyd	droxide (CAS 1310-73-2)		LISTED		
Superfund Amendme	nts and Reauthorization	Act of 1986 (	SARA)		
Hazard Categories	Immediate Hazard	Yes	,		
	Delayed Hazard	No			
	Fire Hazard	No			
	Pressure Hazard	No			
	Reactivity Hazard	No			
SARA 302 Extremely h	nazardous substance	No			
SARA 311/312 Hazard	lous chemical	Yes			
SARA 313 (TRI reporti	ng)	Not regulat	.ed.		
Other federal regulations					
	ction 112 Hazardous Air	•			
	ction 112(r) Accidental R		ntion (40 CFR 68.130) Not regulated.		
Safe Drinking Water A					
Food and Drug Admin	istration (FDA) Not reg	ulated.			
US state regulations					
US.Massachusetts RTK	- Substance List		Components		
			Sodium Hydroxide (CAS 1310-73-2)		
			2-Amino Ethanol (CAS 141-43-5)		
US.New Jersey Worker	and Community Right-to	o-Know Act	Components		
			Sodium Hydroxide (CAS 1310-73-2)		
			2-Amino Ethanol (CAS 141-43-5)		
US.Pennsylvania RTK -	Hazardous Substances		Components		
			Sodium Hydroxide (CAS 1310-73-2)		
			2-Amino Ethanol (CAS 141-43-5)		
US.Rhode Island RTK			Components		
			Sodium Hydroxide (CAS 1310-73-2)		
			2-Amino Ethanol (CAS 141-43-5)		
US - California Proposition 65			California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This		
			material is not known to expose you to any chemicals currently listed as carcinogens or		
			reproductive toxins.		
International Inventories					

## **SAFETY DATA SHEET**

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates this product c	omplies with the inventory requirements administered by the governing country(s).	

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Se	ection 16 - Other information, including date of preparation or last version
Revision date	6/1/2023
Version #	03
HMIS Hazard Codes	PPE A
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and dispose this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, express

al of is ssed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.