

# NATIONAL CHEMICAL LABORATORIES, INC.

#### SAFETY DATA SHEET

Section 1 - Identification		
Product Identifier	DECADE Semi-Permanent / Stain Resistant Water-based Sealer	
Other means of identification	0523	
Recommended use	Floor sealer.	
<b>Recommended restrictions</b>	For commercial and industrial use only.	
Manufacturer / Importer / Supp	lier / Distributor Information	
Company Name	National Chemical Laboratories of PA, Inc.	
Address	401 N. 10th Street - Philadelphia, PA 19123	
Telephone	1 (215) 922-1200	
Supplier Email	info@nclonline.com	
Contact	CHEM-TEL	
Emergency Phone	1 (800) 255-3924	

### Section 2 - Hazard(s) Identification

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Not Classified	
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol	None.	
Signal Word	Not Available	
Hazard Statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
Response	Wash thoroughly after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regionation	al/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	

#### Section 3 - Composition/Information on ingredients

Mixture				
Hazardous Components	Ingredient Name	CAS #	%	
	Diethylene Glycol Monoethyl Ether	111-90-0	1 - 5	
	2-(2-Butoxyethoxy) Ethanol	112-34-5	1 - 5	
	Tris(2-Butoxyethyl) Phosphate	78-51-3	1 - 5	
	Section 4 - First-aid N	leasures		
Inhalation	Move to fresh air. Get medical attention if irritation pers	sists.		
Skin contact	Wash skin with soap and water. Get medical attention if	Wash skin with soap and water. Get medical attention if irritation persists.		
Eye contact	Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if irritation persists.			
Ingestion	Rinse mouth thoroughly with water. Seek medical advice.			
Most Important symptoms or eff	fects, acute and delayed			
	Mild eye irritation.			
Indication of immediate medical	attention and special treatment needed			
	Treat symptomatically.			
General Information	<b>mation</b> Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
	Section 5 - Fire-fighting	measures		
Suitable extinguishing media	Carbon dioxide, alcohol-resistant foam, dry chemical, wa	ater spray, or water fog.		
Unsuitable extinguishing media	Not available.			

	SAF	'EIT DAI	A SHEEI	
Specific hazards arising from the chemical	None known.			
Special protective equipment and precautions for firefighters	Self-contained breathing appar	ratus and full prot	ective clothing must be w	orn in case of fire.
ire-fighting equipment instructions	Move containers from fire area	a if you can do it v	vithout risk. Use water spr	ay to keep fire-exposed containers cool.
General fire hazards	This product is not flammable	or combustible.		
	Section 6 -	Accidenta	l release measu	res
Personal precautions, protective	<ul> <li>Isolate area. Keep unnecessary</li> </ul>	y personnel away.	Use personal protection a	is recommended in Section 8 of the SDS.
equipment and emergency procedures.				
Methods and materials for containment and cleaning up	then place in a container for ch LARGE SPILLS: Absorb spill wit	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.		
Environmental precautions	Avoid discharge into drains, wa	ater courses or or	to the ground.	
	Section	7 - Handli	ng and storage	
Precautions for safe handling				Do not taste or swallow. Use with adequate
Conditions for safe storage,	Store away from incompatible	0		pment recommended in section 8 of the SDS.
including any incompatibilities	Store away from meenipatible			
	Section 8 - Exp	osure cont	rol/personal pro	tection
Occupational exposure limits	•			
US. Workplace environment	tal Exposure Level (WEEL) Guides			
Component		Туре	Value	
Diethylene Glycol Monoet		TWA	140 mg/m <sup>3</sup> , 25 ppm	
US. ACGIH Threshold Limit	Values			
Component		Туре	Value	Form
2-(2-Butoxyethoxy) Ethane	ol (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
Biological limit values	No biological exposure limits n	noted for the ingre	edient(s).	
xposure guidelines	Use personal protective equip	ment as required.	Keep working clothes sep	arately.
Appropriate engineering controls	Provide adequate ventilation a supply and eye wash facilities.	and minimize the	risk of inhalation of vapors	and mists. Provide easy access to water
Individual protection measures,	such as personal protective equip	pment		
Eye/face protection	If use of product risks exposure		r safety glasses with side sh	nields.
Skin protection				
Hand protection	Impervious gloves are recomm	nended for prolon	ged use.	
Other		-	-	g.
<b>Respiratory protection</b>		If use of product risk exposure to contact, wear suitable protective clothing. Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a		
	supplied respirator may be req	-		
Thermal hazards	Wear appropriate thermal pro			
General hygiene considerations	Always observe good personal and/or smoking. Routinely was			andling the material and before eating, drinking to remove contaminants.
	Section 9 - Ph	nysical and	chemical prope	erties
Appearance	Opaque Liquid.			
Physical state	Liquid.			
Form	Liquid.			
Color	White.			
Ddor	Acrylic.			
Ddor threshold	Not available.			
ЭΗ	8.2			
Melting point/freezing point	Not available.			
initial boinging point and boiling range	Not available.			
Flash point	None to boiling.			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or ex				

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Equal to water.
Vapor density	Equal to water.
Relative density	1.02 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Soluble
Partition Coefficient n- octanol/water	Not available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.9 °C)

### Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possiblity of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition	Carbon monoxide. Carbon dioxide.
Products	

#### Section 11 - Toxicological information

#### Information on likely routes of exposure

Ingestion	No adverse effects due to ingestion are expected.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
Eye contact	May cause eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	May cause eye irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

#### Information on toxicological effects.

Acute toxicity	Not expected to be ha	azardous.				
Components		Level	Туре	Code	Species	Results
2-(2-Butoxyethoxy) Ethanol	(CAS 112-34-5)	Acute	Dermal	LD50	Rabbit	2764 mg/kg, (Male)
Skin corrosion/irritation	Prolonged or repeate	d contact may dr	y skin and cause irr	ritation.		
Serious eye damage/ eye irritation	May cause eye irritati	on.				
Respiratory sensitization	Not classified.					
Skin sensitization	Not available.					
Germ cell mutagenicity	Not classified.					
Carcinogenicity	Not classified.					
Reproductive toxicity	Not classified.					
Specific target organ toxicity - single exposure	Not classified.					
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	Not classified.					
	Sec	tion 12 - E	cological l	nformatio	n	

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	The product is expected to be biodegradable.
Bioaccumulative potential	Not known.
Partition coefficient n-octand	ol / water log (Kow)
Components	Results

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)	0.56
Diethylene Glycol Monoethyl Ether (CAS 111-90-0)	-0.54
Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)	3.75

Mobility in soil	Not available.
Mobility in general	The product is water soluble and may spread in water systems.
Other adverse effects	None known.

	Section 13 - Disposal considerations
Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# Section 14 - Transport information

DOT	Not regulated as dangerous goods.
ΙΑΤΑ	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

		Section 15 - Reg	gulatory l	Informatio	n	
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.					
TSCA Section 12(b) Ex		R707. Subpt. D)	Not regulat	ed.		
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		Not listed.				
CERCLA Hazardous Su	ubstance List (40 CFR 302	2.4				
Componen	its		Resul	t		
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)		LISTE	D			
Diethylene	Glycol Monoethyl Ether	(CAS 111-90-0)	LISTE	D		
	Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)		LISTE	D		
Superfund Amendme	ents and Reauthorizatior	Act of 1986 (SARA)				
Hazard Categories	Immediate Hazard	No				
-	Delayed Hazard	No				
	Fire Hazard	No				
	Pressure Hazard	No				
	Reactivity Hazard	No				
SARA 302 Extremely	hazardous substance	No				
SARA 311/312 Hazar	dous chemical	No				
SARA 313 (TRI reporti	ing)					
Chemical name			CAS #	% by wt.		
Diethylene Glycol Monoethyl Ether			111-90-0	1 - 5		
2-(2-Butoxyethoxy) Ethanol			112-34-5	1 - 5		
Tris(2-Butoxyethyl) Phosphate			78-51-3	1 - 5		
Other federal regulations						
Clean Air Act (CAA) Se	ection 112 Hazardous Air	r Pollutants (HAPs) List				
Components						
Diethylene Glycol Monoethyl Ether (CAS 111-90-0)						
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)						
		ethyl) Phosphate (CAS 78-5				
Clean Air Act (CAA) Se		Release Prevention (40 CFF	-	Not regulat	ed.	
Safe Drinking Water A Food and Drug Admin	Act (SDWA) Not reg	gulated. gulated.	,			
US state regulations		-				
US.Massachusetts RTK	( - Substance List	Compone				

. . . . . .

		2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)			
		Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)			
US.New Jersey Worker and Community Right-to-Know Act		Components			
		Diethylene Glycol Monoethyl Ether (CAS 111-90-0)			
		2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)			
		Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)			
US.Pennsylvania RTK - Hazardous Substances		Components			
		Diethylene Glycol Monoethyl Ether (CAS 111-90-0)			
		2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)			
		Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)			
US.Rhode Island RTK		Components			
		Diethylene Glycol Monoethyl Ether (CAS 111-90-0)			
		2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)			
		Tris(2-Butoxyethyl) Phosphate (CAS 78-51-3)			
US - California Proposition 65		This material is not know to expose you to a chemical known to the State of California to			
		cause cancer, birth defects or other reproductive harm.			
International Inventories					
Country(s) or region	Inventory Name		On Inventory (yes/no)*		
Australia	Australian Inventory	Australian Inventory of Chemical Substances (AICS) Yes			
Canada	Domestic Substances	Domestic Substances List (DSL)			
Canada	Non-Domestic Substa	Non-Domestic Substances List (NDSL)			
China	Inventory of Existing	Inventory of Existing Chemical Substances in China (IECSC)			
Europe	European Inventory o	European Inventory of Existing Commercial Chemical Substances (EINECS)			
Europe	European List of Notifed Chemical Substances (ELINCS)		No		
Japan		Inventory of Existing and New Chemical Substances (ENCS)			
Korea	•	Existing Chemicals List (ECL) Yes			
New Zealand	New Zealand Invento		Yes		
Philippines	Philippine Inventory of	Philippine Inventory of Chemicals and Chemical Substances			

 Unites States
 Puerto Rico
 Toxic Substances Control Act (TSCA) Inventory

 \*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version					
Revision date	6/1/2023				
Version #	03				
HMIS Hazard Codes	Health 1 Flammability 0 Physical Hazard 0 PPE 0				
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Variou government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.				

Yes