

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier Earth Sense® GREEN IMPACT Speed Stripper

Other means of identification 1053

Recommended use Floor stripper.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.

Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation 2

OSHA defined hazards Not Classified.

Label Elements

Hazard Symbol



Signal Word Warning

Hazard Statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

None known.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Benzyl Alcohol
 100-51-6
 10 - 20

 Alcohols, C12-13 Ethoxylated
 66455-14-9
 1 - 5

 2-Amino Ethanol
 141-43-5
 1 - 5

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Skin contact Wash off with soap and water. Get medical attention if irritation persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation persists.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Call a physician or poison control

center.

Most Important symptoms or effects, acute and delayed

Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing

media Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

/instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Isolate area.

Methods and materials for containment and cleaning up This product is miscible in water.

SMALL SPILLAGE: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

LARGE SPILLS: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Absorb spillage with suitable absorbent

material. After removal flush contaminated area thoroughly with water.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component Type

Benzyl Alcohol (CAS 100-51-6) TWA 44.2 mg/m³, 10 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Type Form

2-Amino Ethanol (CAS 141-43-5) TWA 6 mg/m³, 3 ppm

US. ACGIH Threshold Limit Values

Value Component Tvpe Form

2-Amino Ethanol (CAS 141-43-5) STEL 6 ppm 2-Amino Ethanol (CAS 141-43-5) TWA 3 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Amino Ethanol (CAS 141-43-5) STFI 15 mg/m³, 6 ppm 2-Amino Ethanol (CAS 141-43-5) Τ\//Δ 8 mg/m^3 , 3 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection

If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a respirator when local exhaust or ventilation is

not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,

considerations and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants

Section 9 - Physical and chemical properties

Clear. **Appearance Physical state** Liquid.

Form Liquid. Colo Green.

Odor Mild aromatic. Odor threshold Not available. рΗ 11.0 ± 0.3 (Conc) 10..8 ± 0.4 (1:2 to 1:16)

Melting point/freezing point Not available Initial boinging point and 212 °F (100 °C)

boiling range

Flash point None to boiling.

Evaporation rate Not available Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower (%) Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.01 + 0.01Relative density temperature 75 °F (23.9 °C) Solubilities (water) 100 % Soluble. Partition Coefficient n-

octanol/water

Not available

Auto-ignition temperature Not Available **Decomposition temperature** Not Available Viscosity < 10 cP **Viscosity Temperature** 75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to Avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition

Products

No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed. Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

physical, chemical and toxicological characteristics Prolonged or repeated exposure may cause liver and kidney damage, these effects have not been observed in humans.

Information on toxicological effects.

Acute toxicity

Components Level Results

_					
сотронена	FEACI	iyhe	Couc	Sheries	Nesults
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Alcohols, C12-13 Ethoxylated (CAS 66455-14-9)	Acute	Dermal	LD50	Rabbit	3300 mg/kg, 24 Hours
	Acute	Dermal	LD50	Rat	> 2000 mg/kg, 24 Hours
	Acute	Inhalation	LC50	Rat	> 100 mg/m³, 6 Hours > 1.6 mg/l, 4 Hours
Benzyl Alcohol (CAS 100-51-6)	Acute	Dermal	LD50	Rabbit	2000 mg/kg
	Acute	Inhalation	LC100	Rat	200 - 300 mg/l, 8 Hours
	Acute	Inhalation	LC50	Rat	8.8 mg/l, 4 Hours
	Acute	Oral	LD50	Mouse	1150 mg/kg
	Acute	Oral	LD50	Rat	1230 - 3100 mg/kg
	Acute	Other	LD50	Mouse	480 mg/kg
	Acute	Other	LD50	Rat	400 mg/kg

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye

irritation

Causes serious eye irritation.

Respiratory sensitization

This product is not expected to cause respiratory sensitization.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified.

Aspiration hazard Chronic effects

May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Section 12 - Ecological Information

Ecotoxicity The product contains a substance which is very toxic to aquatic organisms.

Component(s)

2-Amino Ethanol (CAS 141-43-5)

Aquatic

Level	Туре	Code	Species	Test Results
Acute	Algae	EC50	Selenastrum capricornutum (new name Pseudokirchnerella subca	2.5 mg/l, 48 hours
	Crustacea	EC50	Daphnia magna	65 mg/l. 48 hours

Crustacea EC50 Daphnia magna 65 mg/l, 48 hours
Fish LC50 Goldfish (Carassius auratus) 170 mg/l, 96 hours
Fish LC50 Cyprinus carpio 349 mg/l, 96 hours

Alcohols, C12-13 Ethoxylated (CAS 66455-14-9)

Aquatic

Acute Crustacea EC50 Water flea (Daphnia magna) 0.39 -0.56 mg/l, 48 hours Fish LC50 Flathead minnow (Pimephales promelas) 0.72 -2.7 mg/l, 96 hours

Benzyl Alcohol (CAS 100-51-6)

Aquatic

Acute Fish LC50 Bluegill (Lepomis macrochirus) 10 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water log (Kow)

 Components
 Results

 2-Amino Ethanol (CAS 141-43-5)
 -1.31

 Benzyl Alcohol (CAS 100-51-6)
 1.1

Mobility in soil No data available.

Mobility in general The product is water soluble and may spread in water systems.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4 Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes
Delayed Hazard No

Fire Hazard No Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

Benzyl Alcohol (CAS 100-51-6) 2-Amino Ethanol (CAS 141-43-5)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Amino Ethanol (CAS 141-43-5)

US.Pennsylvania RTK - Hazardous Substances Components

Benzyl Alcohol (CAS 100-51-6) 2-Amino Ethanol (CAS 141-43-5)

US.Rhode Island RTK Components

2-Amino Ethanol (CAS 141-43-5)

US - California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

 New Zealand
 New Zealand Inventory
 Yes

 Philippines
 Philippine Inventory of Chemicals and Chemical Substances
 Yes

 Unites States Puerto Rico
 Toxic Substances Control Act (TSCA) Inventory
 Yes

Section 16 - Other information, including date of preparation or last version

Revision date 6/1/2023 Version # 03

HMIS Hazard Codes PPE A

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).