

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier PROLEX FPS-510 Concentrated Liquid Flatware Presoak

Other means of identification 1125

Recommended use Alkaline cleaner.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation 1

Skin corrosion/irritation 1

OSHA defined hazards

Label Elements

Hazard Symbol



Not Classified.

Signal Word Danger

Hazard Statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe spray or mist. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Alcohol ethoxylate
 68131-39-5
 1 - 5

 Disodium metasilicate
 6834-92-0
 1 - 5

 Sodium Hydroxide
 1310-73-2
 1 - 5

Section 4 - First-aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if

symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

Most Important symptoms /effects, acute and delayed Indication of immediate medical attention and special treatment

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim under observation. Symptoms may be delayed

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Move containers from fire area if you can do it without risk.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible with water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into

waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not breathe spray or mist. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Form Type

2 mg/m³ Sodium Hydroxide (CAS 1310-73-2) TWA

US. ACGIH Threshold Limit Values

Component Type Value Form

Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m^3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to controls

conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment

normally required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, considerations
and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid.

Form Thin clear liquid.
Color Pink-Red.
Odor Odorless.
Odor threshold Not available.
pH 13.6

Melting point/freezing point
Initial boinging point and

boiling range

Not available. 212 °F (100 °C)

Flash point None to boiling.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Similar to water. Vapor pressure Vapor density Similar to water. Relative density 1.11 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) Completely soluble. Partition Coefficient n-Not available

octanol/water

Auto-ignition temperatureNot AvailableDecomposition temperatureNot AvailableViscosity< 10 cSt</th>Viscosity Temperature75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to Avoid Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong acids. Oxidizing agents.

Hazardous Decomposition No hazardous decomposition products are known.

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing,

 $redness, swelling, and \ blurred\ vision.\ Permanent\ eye\ damage\ including\ blindness\ could\ result.$

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Type Code **Species** Results Disodium metasilicate (CAS 6834-92-0) Dermal LD50 >5000 mg/kg, 24 hours Acute Rat Acute Inhalation LC50 > 2.06 mg/l, 4 hours Rat Acute Oral LD50 Mouse 661.5 - 896.3 mg/kg LD50 994.7 - 1335.9 mg/kg Acute Oral Rat

Sodium Hydroxide (CAS 1310-73-2) Acute Oral LD50 Rabbit 500 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

Not classified

repeated exposure

Aspiration hazard

Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Section 12 - Ecological Information

Ecotoxicity Harmful to aquatic life.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNo data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT

UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packing group ||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, N34, T7, TP2

Packaging exemption 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group II
Environmental hazards No.
ERG Code 8L

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group ||

Environmental hazards

Marine pollutant

F-A, S-B

No.

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

EmS

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
Sodium Hydroxide (CAS 1310-73-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes
Delayed Hazard No
Fire Hazard No

Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

Sodium Hydroxide (CAS 1310-73-2)

US.New Jersey Worker and Community Right-to-Know Act Components

Sodium Hydroxide (CAS 1310-73-2)

US.Pennsylvania RTK - Hazardous Substances Components

Sodium Hydroxide (CAS 1310-73-2)

US.Rhode Island RTK Components

Sodium Hydroxide (CAS 1310-73-2)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date 1/17/2021

Version # 02

HMIS Hazard Codes PPE A

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.