

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section 1 - Id	entification		
Product Identifier	PROLEX HTR-260 Concentrat			
Other means of identificatio				
Recommended use	Detergent.			
Recommended restrictions	For commercial and industrial use only. This product is intended to be diluted prior to use.			
Manufacturer / Importer / S	Supplier / Distributor Information			
Company Name	National Chemical Laboratories of PA, Inc.			
Address	401 N. 10th Street - Philadelphia, PA 19123			
Telephone	1 (215) 922-1200			
Supplier Email	info@nclonline.com			
Contact	CHEM-TEL			
Emergency Phone	1 (800) 255-3924			
	Section 2 - Hazard	(s) Identification		
SDS Hazard	s and Warnings are based on the undiluted product.		d Warnings.	
	Classification	Category	0	
Physical Hazards	Not Classified			
Health Hazards	Serious eye damage/eye irritation	2A		
	Skin corrosion/irritation	2		
OSHA defined hazards	Not Classified.			
Label Elements				
Hazard Symbol	^			
Signal Word	Warning			
Hazard Statement	Causes skin irritation. Causes serious eye irritation.			
recautionary statement				
Prevention	Wash thoroughly after handling. Wear protective glo	oves. Wear eye/face protection.		
Response	If on skin: Wash with plenty of water. If in eyes: Rins present and easy to do. Continue rinsing. Immediate advice/attention. Take off contaminated clothing an	ly call a poison center/doctor. If skin irritation occu		
Storage	Store away from incompatible materials.			
Disposal	Dispose of contents/container in accordance with lo	cal/regional/national/international regulations		
lazard(s) not otherwise	None known.			
lassified (HNOC)				
	Section 3 - Composition/In	formation on ingredients		
Mixture				
Hazardous Components	Ingredient Name	CAS #	%	
	Ethyl Alcohol	67-63-0	1 - 5	
	Alcohols, C12-15, ethoxylated propoxylated	68551-13-3	1 - 5	
	Alcohols, C10-C12, ethoxylated, propoxylated	68154-97-2	1 - 5	
Composition Comments	Components not listed are either non-hazardous or ar			
•	Section 4 - First	aid Measures		
Inhalation	If breathing is difficult, remove to fresh air and	keep at rest in a position comfortable for breathing	g. Get medical attention if	
Skin contact	irritation develops and persists. Take off immediately all contaminated clothing advice/attention. Wash contaminated clothing	g. Rinse skin with water/shower. If skin irritation occ before reuse.	curs: Get medical	
Eye contact		Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.		
Ingestion	_	es occur, call a poison control center immediately.	Get medical attention if	

Most Important symptoms or effects, acute and delayed

Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.General InformationTake off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take
precautions to protect themselves. Wash contaminated clothing before reuse.

Suitable extinguishing media		on 5 - Fire-fig	hting measures		
	Water fog. Foam. Dry cher	nical powder. Carbon	dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.				
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.				
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				
Fire-fighting equipment /instructions	Move containers from fire area if you can do so without risk.				
General fire hazards	No unusual fire or explosion hazards noted.				
Specific Methods	Use standard firefighting p	rocedures and consid	ler the hazards of other involved	materials.	
	Section 6	6 - Accidenta	l release measures		
Personal precautions, protective equipment and emergency procedures.	appropriate protective equ	upment and clothing	e away from and upwind of spill/l during clean-up. Do not touch da adequate ventilation. For persor	maged containers or spilled maged	aterial unless
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.				
Environmental precautions	Avoid discharge into drain				
	Secti	on 7 - Handli	ng and storage		
Precautions for safe handling	Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wash hands thoroughly after handling. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.				
-	Store in original tightly close	sed container. Store a	way from incompatible materials	s (see Section 10 of the SDS).	
-			way from incompatible materials		
ncluding any incompatibilities	Section 8 - E	xposure cont			
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for	Section 8 - E	xposure cont 910.1000)	rol/personal protect	ion	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components	Section 8 - E	xposure cont 910.1000) _{Type}	rolipersonal protect Value		
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0)	Section 8 - E	xposure cont 910.1000)	rol/personal protect	ion	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components	Section 8 - E	910.1000) Type TWA	rolipersonal protect Value	ion	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component	Section 8 - E	xposure cont 910.1000) Type TWA Type	Value 980 mg/m³, 400ppm Value	ion	
ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0)	Section 8 - E	910.1000) Type TWA	Value 980 mg/m³, 400ppm Value 400 ppm	Form	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component	Section 8 - E	xposure cont 910.1000) Type TWA Type	Value 980 mg/m³, 400ppm Value	Form	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0)	Section 8 - E	xposure cont 910.1000) Type TWA Type STEL	Value 980 mg/m³, 400ppm Value 400 ppm	Form	
ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0)	Section 8 - E	xposure cont 910.1000) Type TWA Type STEL	Value 980 mg/m³, 400ppm Value 400 ppm	Form	
ncluding any incompatibilities Decupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) US. NIOSH: Pocket Guide to Cl	Section 8 - E	xposure cont 910.1000) Type TWA Type STEL TWA	Value 980 mg/m³, 400ppm Value 400 ppm 200 ppm	Form	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) US. NIOSH: Pocket Guide to Cl Components	Section 8 - E	910.1000) Type TWA Type STEL TWA Type	Value 980 mg/m³, 400ppm Value 400 ppm 200 ppm Value	Form	
ncluding any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) US. NIOSH: Pocket Guide to CH Components Ethyl Alcohol (CAS 67-63-0)	Section 8 - E	910.1000) Type TWA Type STEL TWA Type STEL TWA	Value 980 mg/m³, 400ppm Value 400 ppm 200 ppm Value 2000 ppm	Form	
ncluding any incompatibilities Dccupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) US. NIOSH: Pocket Guide to CH Components Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0)	Section 8 - E Air Contaminants (29 CFR 1 Ilues hemical Hazards	xposure cont 910.1000) Type TWA Type STEL TWA Type IDLH STEL	Value 980 mg/m³, 400ppm Value 400 ppm 200 ppm Value 2000 ppm 1225 mg/m³, 500 ppm	Form	Samplir
including any incompatibilities Occupational exposure limits US. OSHA Table Z-1 Limits for Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) US. NIOSH: Pocket Guide to Cl Components Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0)	Section 8 - E Air Contaminants (29 CFR 1 Ilues hemical Hazards	xposure cont 910.1000) Type TWA Type STEL TWA Type IDLH STEL	Value 980 mg/m³, 400ppm Value 400 ppm 200 ppm Value 2000 ppm 1225 mg/m³, 500 ppm	Form	Samplin Time
Components Ethyl Alcohol (CAS 67-63-0) US. ACGIH Threshold Limit Va Component Ethyl Alcohol (CAS 67-63-0) US. NIOSH: Pocket Guide to Cl Components Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) Ethyl Alcohol (CAS 67-63-0) US. ACGIH. BEIS. Biological Ex	Section 8 - E Air Contaminants (29 CFR 1 Ilues hemical Hazards	STEL Type TWA Type STEL TWA Type IDLH STEL TWA	Value 980 mg/m ³ , 400ppm Value 400 ppm 200 ppm Value 2000 ppm 1225 mg/m ³ , 500 ppm 980 mg/m ³ , 400 ppm	Form Form	-

* - For sampling details, please see the source document.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures,	such as personal protective equipment
Eye/face protection	If use of product risks exposure to contact, wear safety glasses with side shields.
Skin protection	
Hand protection	Impervious gloves are recommended for prolonged use.
Other	If use of product risk exposure to contact, wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Clear, thin liquid.
Color	Blue.
Odor	Mild Alcohol.
Odor threshold	Not available.
рН	6.8
Melting point/freezing point	Not available.
Initial boinging point and boiling range	177 - 212 °F (80.56 - 100 °C)
Flash point	152 °F (66.7 °C) Closed Cup (low alcohol content aqueous solution; does not sustain combustion)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.01 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Completely soluble.
Partition Coefficient n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 10 cSt
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure		
Ingestion	Expected to be a low ingestion hazard.	
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Causes skin irritation.	
Eye contact	Causes serious eye irritation.	

Symptoms related to the	Serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May
physical, chemical and	cause redness and irritation.
toxicological characteristics	

Information on toxicological effects. Acute toxicity Not expected to be acutely toxic. Skin corrosion/irritation Causes skin irritation. Serious eye damage/ eye Causes serious eye irritation. irritation **Respiratory sensitization** This product is not expected to cause respiratory sensitization. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. **Reproductive toxicity** This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity -Not classified. single exposure Specific target organ toxicity -Not classified. repeated exposure Aspiration hazard Not available. **Chronic effects** Not expected to be hazardous.

	Section 12 - Ecological Information	
Ecotoxicity	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential		
Partition coefficient n-octano	l / water log (Kow)	
Components	Results	
Ethyl Alcohol (CAS 67-63-0)	0.05	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
	Section 13 - Disposal considerations	
Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.	
Local disposal regulations	Dispose of in accordance with local regulations.	
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.	
Waste from residues / unused products	Dispose in accordance with all applicable regulations.	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.	
Section 14 - Transport information		
DOT	Not regulated as dangerous goods.	
ΙΑΤΑ	Not regulated as dangerous goods.	
IMDG	Not regulated as dangerous goods.	
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.	

Section 15 - Regulatory Information

			Jana e - J
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 19 All components are on the U.S. EPA TSCA Inventory List.		
TSCA Section 12(b) Ex	port Notification (40 CFI	R707, Subpt. D)	Not regulated.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) CERCLA Hazardous Substance List (40 CFR 302.4		29 CFR 1910.1001-1050)	Not on regulatory list.
		.4	Not listed.
Superfund Amendme	ents and Reauthorization	Act of 1986 (SARA)	
Hazard Categories	Immediate Hazard	Yes	
	Delayed Hazard	No	
	Fire Hazard	No	

	U.		
Pre	ssure Hazard No		
Reactivity Hazard No			
SARA 302 Extremely hazardous substance Not listed.		.d.	
SARA 311/312 Hazardous chemical Yes			
SARA 313 (TRI reporting)	Not reg	llated.	
Other federal regulations			
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (H/		(HAPs) List Not regulated.	
Clean Air Act (CAA) Section	12(r) Accidental Release Pre	vention (40 CFR 68.130) Not regulated.	
Safe Drinking Water Act (SD	WA) Not regulated.		
Food and Drug Administration	on (FDA) Not regulated.		
US state regulations			
US.Massachusetts RTK - Subs	tance List	Components	
		Ethyl Alcohol (CAS 67-63-0)	
US.New Jersey Worker and C	ommunity Right-to-Know Ac	t Components	
		Ethyl Alcohol (CAS 67-63-0)	
US.Pennsylvania RTK - Hazard	dous Substances	Components	
- · · · · · · · · · · · · · · · · · · ·		Ethyl Alcohol (CAS 67-63-0)	
US.Rhode Island RTK		Not regulated.	
US - California Proposition 65		California Safe Drinking Water and Toxic Enforceme material is not known to expose you to any chemica reproductive toxins.	· · · /
International Inventories			
Country(s) or region	Inventory Name		On Inventory (yes/no)*
Australia	Australian Invento	ry of Chemical Substances (AICS)	Yes
Canada	Domestic Substan	ces List (DSL)	Yes
Canada	Non-Domestic Sub	ostances List (NDSL)	No
China	Inventory of Existi	ng Chemical Substances in China (IECSC)	Yes

••••••		110
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date	6/1/2023
Version #	03
HMIS Hazard Codes	PPE A
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided with warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage a this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.