

NATIONAL CHEMICAL LABORATORIES, INC.

1

2A

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier SUN-SPRAY Ready to Use Foaming Citrus Degreaser

Other means of identification 1085

Recommended use R-T-U Degreaser.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

Classification Category

Physical Hazards

Health Hazards

Sensitization, skin

Serious eye damage/eye irritation

OSHA defined hazards Label Elements

Hazard Symbol



Not Classified.

Signal Word Warning

Hazard Statement May cause an allergic skin reaction. Causes serious eye irritation.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves. Wear eye/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 2-(2-Butoxyethoxy) Ethanol
 112-34-5
 1 - 5

4-Nonylphenol, branched, ethoxylated 127087-87-0 1 - 5
Orange Oil 8008-57-9 0.1 - 1

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders:

 $Seek\ medical\ attention\ and\ take\ along\ these\ instructions.\ Get\ medical\ attention\ if\ irritation\ develops\ or\ persists.$

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Get medical attention if irritation develops and persists.

Most Important symptoms or effects, acute and delayed

Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an

allergic skin reaction. Dermatitis.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash

contaminated clothing before reuse.

Section 5 - Fire-fighting measures

Suitable extinguishing media

This product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials. Water fog. Foam. Dry

chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

/instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency

procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal

protection, see section 8 of the

SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into

waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling Do not get in eyes, on skin, or on clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. Provide adequate

ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Component Type Value Form

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) TWA 10 ppm Inhalable fraction and vapor.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelinesUse personal protective equipment as required. Keep working clothes separately.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

levels to an acceptable level. Provide

eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, considerations
and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

1085

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid. Form Liquid. Color Straw. Odor Orange peel. Odor threshold Not available. рΗ 9 9

Melting point/freezing point Not available.

Initial boinging point and

212 °F (100 °C)

Not available.

boiling range

Evaporation rate

Flash point > 212.0 °F (> 100.0 °C) Tag Closed Cup

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Similar to water. Vapor pressure Vapor density Similar to water. Relative density 1.01 ± 0.01 Relative density temperature 75 °F (23.9 °C)

Solubilities (water) 100% Completely soluble.

Partition Coefficient n-

Not available

octanol/water

Auto-ignition temperature Not Available **Decomposition temperature** Not Available < 20 cSt Viscosity 75 °F (23.9 °C) **Viscosity Temperature**

Section 10 - Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to Avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

No hazardous decomposition products are known. **Hazardous Decomposition**

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.. Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction. **Eve contact** Causes serious eve irritation.

Symptoms related to the physical, chemical and

Rash. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an

allergic skin reaction. Dermatitis.

toxicological characteristics

Information on toxicological effects.

Acute toxicity Not expected to be acutely toxic. May cause an allergic skin reaction.

Components Level Type Code Species Results

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) LD50 Rabbit 2764 mg/kg, (Male) Acute Dermal

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye

Respiratory sensitization

Causes serious eye irritation.

irritation

This product is not expected to cause respiratory sensitization.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Aspiration hazard Not classified.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Further information No other specific acute or chronic health impact noted.

Section 12 - Ecological Information

Ecotoxicity The product contains a substance which is very toxic to aquatic organisms.

Component(s)

4-Nonylphenol, branched, ethoxylated (CAS 127087-87-0)

Acute

Aquatic

Water flea (Daphnia magna) 12.2 mg/l, 48 hours LC50 Bluegill (lepomis macrochirus) 1 - 1.8 mg/l 96 hours Fish

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water log (Kow)

Crustacea

Results Components 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) 0.56

4-Nonylphenol, branched, ethoxylated (CAS 127087-87-0) 2.1 - 3.4 (Calculated)

Orange Oil (CAS 8008-57-9) 2.61

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Dispose in accordance with applicable federal, state, and local regulations. **Disposal instructions**

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

EC50

Waste from residues / unused

Contaminated packaging

products

Dispose in accordance with all applicable regulations.

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods. IATA Not regulated as dangerous goods. IMDG Not regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result 2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

> Delayed Hazard No Fire Hazard Yes

Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

CAS# Chemical name % by wt. 2-(2-Butoxyethoxy) Ethanol 112-34-5 1 - 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Components

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.New Jersey Worker and Community Right-to-Know Act Components

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Pennsylvania RTK - Hazardous Substances Components

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US.Rhode Island RTK Components

2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

US - California Proposition 65 This material is not know to expose you to a chemical known to the State of California to

cause cancer, birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

6/1/2023 **Revision date** 03 Version #

Further information Not available.

HMIS Hazard Codes PPE

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any

warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product

which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).