

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier SURFACE BARRIER Fluoropolymer Impregnator

Other means of identification 2500

Recommended use Grout sealer.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.

Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation 2B

OSHA defined hazards Not Classified.

Label Elements

Hazard Symbol None.

Signal Word Warning

Hazard Statement Causes eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage Store in a well-ventilated place. Keep cool.

Not classified.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 2-Butoxyethanol
 111-76-2
 1 - 5

 Ethyl Alcohol
 67-63-0
 1 - 5

Section 4 - First-aid Measures

InhalationMove to fresh air. Get medical attention if irritation persists.Skin contactWash skin with water. Get medical attention if irritation persists.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if irritation persists.

Ingestion Immediately rinse mouth and drink plenty of water. Keep person under observation. Do not induce vomiting. If vomiting

occurs, keep head low. If person becomes uncomfortable seek medical advice.

Most Important symptoms or effects, acute and delayed

May cause eye irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Prolonged or repeated

skin contact may cause drying, cracking, or irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media In case of fire, use water spray, dry chemical, or CO2. Avoid using a direct stream of water.

2500

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

Move containers from fire area if you can do it without risk. Cool material exposed to heat with water spray and remove it if no risk is involved.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection as recommended in

Section 8 of the SDS.

Methods and materials for containment and cleaning up SMALL SPILLAGE: Absorb spillage with suitable absorbent material.

LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After

removal flush contaminated area thoroughly with water.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact eyes. Wash hands thoroughly after handling. Provide adequate ventilation.

Keep container closed. Use Personal Protective Equipment recommended in section 8 of the SDS.

Conditions for safe storage. including any incompatibilities Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Form Components Type Value 2-Butoxyethanol (CAS 111-76-2) TWA 240 mg/m³ . 50 ppm

Ethyl Alcohol (CAS 67-63-0) TWA 980 mg/m³, 400ppm

US. ACGIH Threshold Limit Values

Component Value Form Type

Ethyl Alcohol (CAS 67-63-0) STFL 400 ppm Ethyl Alcohol (CAS 67-63-0) TWA 200 ppm 2-Butoxyethanol (CAS 111-76-2) TWA 20 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Butoxyethanol (CAS 111-76-2) 24 mg/m³, 5 ppm TWA Ethyl Alcohol (CAS 67-63-0) **IDLH** 2000 ppm

Ethyl Alcohol (CAS 67-63-0) STEL 1225 mg/m³, 500 ppm TWA 980 mg/m³, 400 ppm Ethyl Alcohol (CAS 67-63-0)

US. ACGIH. BEIs. Biological Exposure Indices

Components Value Determinate Specimen Creatinine in urine

200 mg/g Butoxyacetic acid (BAA), Ethyl Alcohol (CAS 67-63-0)

with hydrolysis

Ethyl Alcohol (CAS 67-63-0) 40 mg/l Urine Acetone Creatinine in urine

2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), with hydrolysis

* - For sampling details, please see the source document.

Exposure guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US.NIOSH: Pocket Guide to Chemical Hazards

Component

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxvethanol (CAS 111-76-2) Can be absorbed though the skin. Sampling Time

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

Appropriate engineering Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water

controls supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation, use respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,

considerations and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid.

Form Clear, thin liquid.
Color Colorless to pale straw.

Odor Mild.

Odor threshold Not available.

pH 8.6

Melting point/freezing point Not available.

Initial boinging point and 212 °F (100 °C)

boiling range

Flash point > 201.0 °F (> 94.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. Relative density 1.00 ± 0.01 75 °F (23.9 °C) Relative density temperature Solubilities (water) Soluble Partition Coefficient n-Not available.

octanol/water

 Auto-ignition temperature
 Not available.

 Decomposition temperature
 Not available.

 Viscosity
 < 10 cP</th>

 Viscosity Temperature
 75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactions Hazardous polymerization does not occur.

Conditions to Avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition

Products

Carbon oxides, other incomplete burned carbon compounds, Hydrofluoric acid.

SURFACE BARRIER Fluoropolymer Impregnator

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed.

Inhalation Vapors and mist may irritate throat and respiratory system and cause coughing. Skin contact Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eve contact May cause eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics May cause eye irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Information on toxicological effects.

Acute toxicity May be harmful if swallowed.

Code Species Results Components Type 2-Butoxyethanol (CAS 111-76-2) Acute Dermal LD50 Rabbit 400 mg/kg Inhalation LC50 Acute Mouse 700 ppm, 7 hours Acute Inhalation LC50 Rat 450 mg/l, 4 hrs Oral 1050 Acute Guinea pig 1.2 g/kg Acute Oral LD50 Mouse 1519 mg/kg Acute Oral LD50 Rabbit 0.32 g/kg LD50 560 mg/kg Acute Oral Rat

Skin corrosion/irritation Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/ eye

irritation

May cause eye irritation.

Respiratory sensitization Not classified. Skin sensitization Not available. Not classified. Germ cell mutagenicity Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2) Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Specific target organ toxicity -

single exposure

Not classified. Not classified.

Specific target organ toxicity -

repeated exposure

Aspiration hazard

Not classified.

Not available.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known Partition coefficient n-octanol / water log (Kow)

> Components Results Ethyl Alcohol (CAS 67-63-0) 0.05 2-Butoxyethanol (CAS 111-76-2) 0.83

Mobility in soil Not available.

Mobility in general The product is water soluble and may spread in water systems.

Other adverse effects None known.

Section 13 - Disposal considerations

Dispose in accordance with applicable federal, state, and local regulations. **Disposal instructions**

Dispose of in accordance with local regulations. Local disposal regulations

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4

Not regulated.
Not on regulatory list.

Components Result
2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard No
Pressure Hazard No
Reactivity Hazard No
ardous substance No

SARA 302 Extremely hazardous substance No SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 1 - 5

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Drug Enforcement Administration (DEA), List 1 2

Exempt Chemical Mixtures (21 CFR 1310.12(c))

DEA Exempt Chemical Mixtures Code Number Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

2-Butoxyethanol (CAS 111-76-2) Ethyl Alcohol (CAS 67-63-0)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Butoxyethanol (CAS 111-76-2) Ethyl Alcohol (CAS 67-63-0)

US.Pennsylvania RTK - Hazardous Substances Components

2-Butoxyethanol (CAS 111-76-2) Ethyl Alcohol (CAS 67-63-0)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2)

US - California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

KoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYesUnites States Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

Section 16 - Other information, including date of preparation or last version

Revision date 6/1/2023 Version # 03

Further information Not available.

References HSDB® - Hazardous Substances Data Bank

HPVIS - High Production Volume Information System

HMIS Hazard Codes PPE A

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any

warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product

which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).