

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section	n 1 - Identification		
Product Identifier	TREATCO Oil Type	Floor & Mop Treatment		
Other means of identificat	ion 0701	0701		
Recommended use	Oil Type Floor & M	Oil Type Floor & Mop Treatment		
Recommended restriction	s For commercial an	d industrial use only.		
Manufacturer / Importer	/ Supplier / Distributor Information			
Company Name	National Chemical Laboratories of PA	A, Inc.		
Address	401 N. 10th Street - Philadelphia, PA	19123		
Telephone	1 (215) 922-1200			
Supplier Email	info@nclonline.com			
Contact	CHEM-TEL			
Emergency Phone	1 (800) 255-3924			
	Section 2 - I	lazard(s) Identification		
SDS Haza	rds and Warnings are based on the undiluted	product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.		
	Classification	Category		
Physical Hazards	Flammable Liquids	4		
Health Hazards	Not Classified			
OSHA defined hazards	Not Classified.			
Label Elements				
Hazard Symbol	None.			
Signal Word	Warning			
Hazard Statement	Combustible liquid.			
Precautionary statement	·			
Prevention	Keep away from heat/sparks/open flames	/hot surfaces No smoking. Wear protective gloves/eye protection/face protection.		
Response	In case of fire: Use appropriate media to e			
Storage	Store in a well-ventilated place. Keep cool	•		
•		ce with local/regional/national/international regulations.		
Disposal				

Mixture			
Hazardous Components	Ingredient Name White mineral oil (petroleum)	CAS # 8042-47-5	% > 95
	Section 4 - First-aid		~ 33
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if irritation persists.		
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. Get medical attention if irritation persists.		
Most Important symptoms or e	effects, acute and delayed		
	Direct contact with eyes may cause temporary irritatio	n.	
Indication of immediate medic	al attention and special treatment needed		
	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.		
General Information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and tak precautions to protect themselves. Wash contaminated clothing before reuse.		material(s) involved, and take

Section 5 - Fire-fighting measures

	SAF	ETY DAT	A SHEET	
Suitable extinguishing media	Water fog. Foam. Dry chemica	l powder. Carbon	dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an exti	nguisher, as this v	vill spread the fire.	
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, g hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire-fighting equipment /instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved.			
General fire hazards	Combustible liquid.			
Specific Methods	Use standard firefighting proce	edures and consid	er the hazards of othe	er involved materials.
	Section 6 -	Accidenta	l release mea	sures
Personal precautions, protective equipment and emergency procedures.	ignition sources (no smoking, t clothing during clean-up. Do n	lares, sparks, or f ot touch damaged es before enterin	ames in immediate and containers or spilled them. Local authorit	nd of spill/leak. Keep out of low areas. Eliminate all rea). Wear appropriate protective equipment and material unless wearing appropriate protective ies should be advised if significant spillages cannot be
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.			
Environmental precautions	Avoid discharge into drains, w	ater courses or or	to the ground.	
	Section	7 - Handli	ng and stora	<i>qe</i>
Precautions for safe handling Conditions for safe storage, including any incompatibilities	sunlight. When using do not sr against static discharges. All ec explosion-proof equipment. A industrial hygiene practices. U Keep away from heat, sparks a grounding techniques. Store ir	noke. Explosion-p quipment used wh void prolonged ex se care in handlin and open flame. P n a cool, dry place	roof general and loca nen handling the prod posure. Wear approp g/storage. revent electrostatic ch out of direct sunlight.	ources of ignition. Protect material from direct I exhaust ventilation. Take precautionary measures uct must be grounded. Use non-sparking tools and riate personal protective equipment. Observe good harge build-up by using common bonding and Store in original tightly closed container. Store in a quipped with sprinklers. Store away from incompatible
	of the SDS).			
	Section 8 - Exp	osure cont	rol/personal	protection
Occupational exposure limits	No exposure limits noted for in	ngredient(s).		
US. OSHA Table Z-1 Limits for	Air Contaminants (29 CFR 1910	.1000)		
Components		Туре	Value	Form
White mineral oil (petroleur	m) (CAS 8042-47-5)	TWA	5 mg/m ³	FORM: Mist
US. ACGIH Threshold Limit Va	alues		-	
Component		Туре	Value	Form
White mineral oil (petroleur	n) (CAS 8042-47-5)	TWA	5 mg/m ³	FORM: Inhalable fraction.
US. NIOSH: Pocket Guide to C	, (1 884	2	rona. Initiable fraction.
		T	Value	
Components		Туре	Value	50514 14
White mineral oil (petroleur	, ,	TWA	5 mg/m ³	FORM: Mist
White mineral oil (petroleur		STEL	10 mg/m³	FORM: Mist
Biological limit values	No biological exposure limits r	noted for the ingre	dient(s).	
Appropriate engineering controls	should be used. Ventilation ra	tes should be mat ng controls to ma	ched to conditions. If intain airborne levels	entilation (typically 10 air changes per hour) applicable, use process enclosures, local exhaust below recommended exposure limits. If exposure table level.

Individual protection measures, such as personal protective equipment

Individual protection measures, si	uch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or

TREATCO Oil Type Floor & Mop Treatment 0701

SAFETY DATA SHEET

to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. No personal respiratory protective equipment normally required.

Thermal hazards General hygiene considerations Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Clear, thin liquid.
Color	Colorless.
Odor	Banana.
Odor threshold	Not available.
рН	Not Applicable
Melting point/freezing point	Not available.
Initial boinging point and	212 °F (100 °C)
boiling range	
Flash point	156°F (68.9 °C)
Evaporation rate	Not availiable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	0.83 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Insoluable.
Partition Coefficient n-	Not available
octanol/water	
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 30 cSt
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of e	xposure
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects.
Acute toxicity	Not expected to be acutely toxic.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.

SAFETY DATA SHEET

Serious eye damage/ eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory sensitization	This product is not expected to cause respiratory sensitization.		
Skin sensitization	This product is not expected t	o cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not classified.		
Chronic effects	Prolonged inhalation may be harmful.		
	Section	12 - Ecological Information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Partition coefficient n-octan	ol / water log (Kow)		
Components		Results	
White mineral oil (petroleum) (CAS 8042-47-5) > 6			

Mobility in soil	No data available.
Mobility in general	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT	Not regulated as dangerous goods.
ΙΑΤΑ	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

S federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.		
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)		R707, Subpt. D)	Not regulated.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) CERCLA Hazardous Substance List (40 CFR 302.4			Not listed Not Listed
Hazard Categories	Immediate Hazard	No	
	Delayed Hazard	No	
	Fire Hazard	Yes	
	Pressure Hazard	No	
	Reactivity Hazard	No	
SARA 302 Extremely hazardous substance		Not listed.	
SARA 311/312 Hazardous chemical		Yes	
SARA 313 (TRI reporti	ng)	Not regulated.	

SAFETY DATA SHEET

Other federal regulations			
Clean Air Act (CAA) Section 112 H	azardous Air Pollutants (H	APs) List Not regulated.	
Clean Air Act (CAA) Section 112(r)	Accidental Release Preve	ntion (40 CFR 68.130) Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.		
Food and Drug Administration (FI	A) Not regulated.		
US state regulations			
US.Massachusetts RTK - Substance List		Components	
		White mineral oil (petroleum) (CAS 8042-47-5)	
US.New Jersey Worker and Community Right-to-Know Act		Components	
		White mineral oil (petroleum) (CAS 8042-47-5)	
US.Pennsylvania RTK - Hazardous Substances		Components	
		White mineral oil (petroleum) (CAS 8042-47-5)	
US.Rhode Island RTK		Not regulated.	
US - California Proposition 65		California Safe Drinking Water and Toxic Enforcement Act material is not known to expose you to any chemicals curr reproductive toxins.	· · · /
International Inventories			
Country(s) or region	Inventory Name		On Inventory (yes/no)*
Australia	Australian Inventory	of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)		Yes
Canada	Non-Domestic Substances List (NDSL)		No
China	Inventory of Existing Chemical Substances in China (IECSC)		Yes
Europe	European Inventory	of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)		No
Japan	Inventory of Existing and New Chemical Substances (ENCS)		Yes
Korea	Existing Chemicals List (ECL)		Yes
New Zealand	New Zealand Inventory		Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances		Yes
Unites States Puerto Rico		ntrol Act (TSCA) Inventory	Yes
*A "Yes" indicates this product co	nplies with the inventory	requirements administered by the governing country(s).	

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). *A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

Section 16 - Other information, including date of preparation or last version		
Revision date	6/1/2023	
Version #	02	
HMIS Hazard Codes	Health 1 Flammability 2 Physical Hazard O PPE B	
Disclaimer	The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product	

which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.