

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier TP #3 Degreaser Cleaner Super Concentrate

Other means of identification 4003

Recommended use Alkaline cleaner.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

 Health Hazards
 Serious eye damage/eye irritation
 1

 Skin corrosion/irritation
 1

OSHA defined hazards

Label Elements

Hazard Symbol



Not Classified.

Signal Word Danger

Hazard Statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS#	%
	Sodium dimethylbenzenesulfonate	1300-72-7	5 - 10
	Sodium Hydroxide	1310-73-2	5 - 10
	2-Amino Ethanol	141-43-5	5 - 10
	Dipropylene Glycol Monomethyl Ether	34590-94-8	1 - 5
	Alcohol ethoxylate	68131-39-5	1 - 5
	Alcohols, C12-13 Ethoxylated	66455-14-9	1 - 5

Section 4 - First-aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if

symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

Most Important symptoms or effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While

flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media

Powder. Alcohol resistant foam. Carbon dioxide (CO2).

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

General fire hazards

Move containers from fire area if you can do it without risk.

/instructions

No unusual fire or explosion hazards noted.

Specific MethodsUse standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant

spillages cannot be

contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions Avoid discharge in

Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

2 mg/m³

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

TWA

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Form 2-Amino Ethanol (CAS 141-43-5) TWA 6 mg/m³ , 3 ppm

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

TWA 600 mg/m³, 100ppm

US. ACGIH Threshold Limit Values

Sodium Hydroxide (CAS 1310-73-2)

Component Type Value Form

2-Amino Ethanol (CAS 141-43-5)

2-Amino Ethanol (CAS 141-43-5)

STEL 6 ppm

2-Amino Ethanol (CAS 141-43-5)

TWA 3 ppm

Sodium Hydroxide (CAS 1310-73-2)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

TWA 100 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Amino Ethanol (CAS 141-43-5) STEL 15 mg/m³, 6 ppm 2-Amino Ethanol (CAS 141-43-5) Τ\//Δ 8 mg/m^3 , 3 ppmDipropylene Glycol Monomethyl Ether (CAS 34590-94-8) TWA 600 mg/m³, 100 ppm Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) STEL 900 mg/m³, 150 ppm

Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

Biological limit values No biological exposure limits noted for the ingredient(s).

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US.NIOSH: Pocket Guide to Chemical Hazards

Component Exposure

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US. Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Exposure

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Component Exposure

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Can be absorbed through the skin.

Appropriate engineering

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to controls conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain

airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

If use of product risks exposure to contact, wear safety glasses with side shields. Eye/face protection

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing. **Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,

considerations and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid.

Clear, thin liquid. Form

Color Red.

Odor Mild ammoniacal odor.

Odor threshold Not available

Melting point/freezing point Not available.

boiling range

Initial boinging point and 212 °F (100 °C)

Flash point None to boiling. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available. Flammability limit - lower (%) Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water.

Vapor density Similar to water. Relative density 1.13 ± 0.01

Relative density temperature 75 °F (23.9 °C) Solubilities (water) Completely soluble. Partition Coefficient n-

octanol/water

Not available

Auto-ignition temperature Not Available **Decomposition temperature** Not Available Viscosity < 20 cSt **Viscosity Temperature** 75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use. **Conditions to Avoid** Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.

Hazardous Decomposition

Products

No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects.

Acute toxicity	May cause burns.
----------------	------------------

Components	Level	Туре	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Alcohols, C12-13 Ethoxylated (CAS 66455-14-9)	Acute	Dermal	LD50	Rabbit	3300 mg/kg, 24 Hours
	Acute	Dermal	LD50	Rat	> 2000 mg/kg, 24 Hours
	Acute	Inhalation	LC50	Rat	> 100 mg/m³, 6 Hours > 1.6 mg/l, 4 Hours
Sodium dimethylbenzenesulfonate (CAS 1300-72-7)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
	Acute	Oral	LD50	Rat	7200 mg/kg
Sodium Hydroxide (CAS 1310-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure **Aspiration hazard**

Not an aspiration hazard.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Component(s)

2-Amino Ethanol (CAS 141-43-5)

Aquatic

 Level
 Type
 Code
 Species
 Test Results

 Acute
 Algae
 EC50
 Selenastrum capricornutum (new name
 2.5 mg/l, 48 hours

Pseudokirchnerella subca

CrustaceaEC50Daphnia magna65 mg/l, 48 hoursFishLC50Goldfish (Carassius auratus)170 mg/l, 96 hoursFishLC50Cyprinus carpio349 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water log (Kow)

Components Results
2-Amino Ethanol (CAS 141-43-5) -1.31

Mobility in soilNo data available.Mobility in generalNo data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT

UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packing group ||

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. $\label{eq:control}$

Special provisions B2, IB2, N34, T7, TP2

Packaging exemption 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group II
Environmental hazards No.
ERG Code 8L

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group II
Environmental hazards No.
Marine pollutant

iviarine poliutant

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. **US federal regulations**

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result LISTED Sodium Hydroxide (CAS 1310-73-2)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes Delayed Hazard No Fire Hazard No Pressure Hazard No Reactivity Hazard Nο

SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

> Sodium Hydroxide (CAS 1310-73-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.New Jersey Worker and Community Right-to-Know Act Components

> Sodium Hydroxide (CAS 1310-73-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Pennsylvania RTK - Hazardous Substances Components

> Sodium Hydroxide (CAS 1310-73-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Rhode Island RTK Components

Sodium Hydroxide (CAS 1310-73-2) 2-Amino Ethanol (CAS 141-43-5)

US - California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date 6/1/2023 Version # 03

HMIS Hazard Codes PPE A

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.