

# NATIONAL CHEMICAL LABORATORIES, INC.

# SAFETY DATA SHEET

#### Section 1 - Identification

Product Identifier ENDURE™ Heavy Duty Bonnet & Traffic Lane Carpet Cleaner

Other means of identification 0621

Recommended use Detergent.

**Recommended restrictions** For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

### Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

**Classification** Category

Physical Hazards Not Classified

 Health Hazards
 Serious eye damage/eye irritation
 1

 Skin corrosion/irritation
 1

OSHA defined hazards

**Label Elements** 

**Hazard Symbol** 



Not Classified.

Signal Word Danger

**Hazard Statement** Causes severe skin burns and eye damage.

Precautionary statement

**Prevention** Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

#### **Section 3 - Composition/Information on ingredients**

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 4-Nonylphenol, branched, ethoxylated
 127087-87-0
 5 - 10

 2-Butoxyethanol
 111-76-2
 1 - 5

 Sodium Hydroxide
 1310-73-2
 0.1 - 1

#### Section 4 - First-aid Measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if

symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

#### Most Important symptoms or effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

#### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# Section 5 - Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

/instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### Section 6 - Accidental release measures

Personal precautions, protective

equipment and emergency procedures.

 $Isolate\ area.\ Keep\ unnecessary\ personnel\ away.\ Use\ personal\ protection\ as\ recommended\ in\ Section\ 8\ of\ the\ SDS.$ 

Methods and materials for containment and cleaning up

SMALL SPILLAGE: Absorb spillage with suitable absorbent material.

LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After

removal flush contaminated area thoroughly with water.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

#### Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# Section 8 - Exposure control/personal protection

### Occupational exposure limits

US.	OSHA Table	Z-1 Limits for	Air Contaminants	(29 CFR 1910.1000)

Components Type Value Form

2-Butoxyethanol (CAS 111-76-2) TWA 240 mg/m³, 50 ppm

Sodium Hydroxide (CAS 1310-73-2) TWA 2 mg/m<sup>3</sup>

**US. ACGIH Threshold Limit Values** 

Component Type Value Form

2-Butoxyethanol (CAS 111-76-2) TWA 20 ppm Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components Type Value

2-Butoxyethanol (CAS 111-76-2) TWA 24 mg/m³, 5 ppm

Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m<sup>3</sup>

 US. ACGIH. BEIs. Biological Exposure Indices
 Sampling

 Components
 Value
 Determinate
 Specimen
 Time

2-Butoxyethanol (CAS 111-76-2)
200 mg/g
Butoxyacetic acid (BAA),
Creatinine in urine
with hydrolysis

#### US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

<sup>\* -</sup> For sampling details, please see the source document.

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US.NIOSH: Pocket Guide to Chemical Hazards** 

Component Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin. US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Components

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment

normally required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,

and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# Section 9 - Physical and chemical properties

**Appearance** Clear. Liquid. Physical state Form Liquid. Color Colorless. Odor Butyl. Odor threshold Not available.

13 2

Melting point/freezing point Not available. Initial boinging point and 212 °F (100 °C)

boiling range

Flash point None to boiling. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density  $1.01 \pm 0.01$ Relative density temperature 75 °F (23.9 °C) Solubilities (water) 100 % Soluble. Partition Coefficient n-

octanol/water

Not available

**Auto-ignition temperature** Not Available **Decomposition temperature** Not Available Viscosity < 10 cSt **Viscosity Temperature** 75 °F (23.9 °C)

#### Section 10 - Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

**Chemical stability** Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use. Do not mix with other chemicals. Contact with incompatible materials. Conditions to Avoid

Incompatible materials Acids. Oxidizing agents.

**Hazardous Decomposition** No hazardous decomposition products are known.

**Products** 

# Section 11 - Toxicological information

#### Information on likely routes of exposure

Ingestion Causes digestive tract burns.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans.

Eye contact Causes serious eve damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects.

#### Acute toxicity

Components	Level	Type	Code	Species	Results
2-Butoxyethanol (CAS 111-76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
	Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
	Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
	Acute	Oral	LD50	Guinea pig	1.2 g/kg
	Acute	Oral	LD50	Mouse	1519 mg/kg
	Acute	Oral	LD50	Rabbit	0.32 g/kg
	Acute	Oral	LD50	Rat	560 mg/kg
Sodium Hydroxide (CAS 1310-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eve damage/ eve

irritation

Causes serious eye damage.

Respiratory sensitization This product is not expected to cause respiratory sensitization. Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Comment Result

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Aspiration hazard Not classified.

**Chronic effects** May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans.

# Section 12 - Ecological Information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or **Ecotoxicity** 

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** No data available. Partition coefficient n-octanol / water log (Kow)

Results Components 2-Butoxyethanol (CAS 111-76-2) 0.83

4-Nonylphenol, branched, ethoxylated (CAS 127087-87-0) 2.1 - 3.4 (Calculated)

Mobility in soilNo data available.Mobility in generalNo data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

# Section 13 - Disposal considerations

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.

**Local disposal regulations** Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# Section 14 - Transport information

DOT

UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Labels required 8

Special provisions IB3, N34, T4, TP1

Packaging exemption 154
Packaging non bulk 203

Packaging bulk This substance/mixture is not intended to be transported in bulk.

IATA

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group III
Environmental hazards No.
ERG Code 8L

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group III
Environmental hazards No.
Marine pollutant

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

# **Section 15 - Regulatory Information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
2-Butoxyethanol (CAS 111-76-2) LISTED
Sodium Hydroxide (CAS 1310-73-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 1 - 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

**US state regulations** 

US.Massachusetts RTK - Substance List Components

2-Butoxyethanol (CAS 111-76-2) Sodium Hydroxide (CAS 1310-73-2)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Butoxyethanol (CAS 111-76-2) Sodium Hydroxide (CAS 1310-73-2)

US.Pennsylvania RTK - Hazardous Substances Components

2-Butoxyethanol (CAS 111-76-2) Sodium Hydroxide (CAS 1310-73-2)

US.Rhode Island RTK Components

**Inventory Name** 

2-Butoxyethanol (CAS 111-76-2) Sodium Hydroxide (CAS 1310-73-2)

**US - California Proposition 65** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories Country(s) or region

		• , , ,,,
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

#### Section 16 - Other information, including date of preparation or last version

Revision date 6/1/2023 Version # 03

HMIS Hazard Codes Health 2 Flammability 0 Physical Hazard 0 PPE B

**Disclaimer** The information contained herein was obtained from current and reliable sources. However, the data is provided without any

warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

ENDURE™ Heavy Duty Bonnet & Traffic Lane Carpet Cleaner

0621

On Inventory (ves/no)\*

<sup>\*</sup>A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).